

SUPPLIES & ACCESSORIES

ELANCE



élance Vital Signs Monitor

The élance family of integrated monitors offers you high-performance monitoring of essential parameters including ECG (3- and 5-lead), respiration, noninvasive blood pressure, peripheral O2 saturation and two temperatures. The “i” models add two channels of invasive blood pressure, and the “c” models add Microstream end tidal CO2.



élance Vital Signs Monitor
93300

Order Code	Description	Qty
------------	-------------	-----

UltraCheck Nylon Reusable Blood Pressure Cuffs



NIBP Cuffs



Metal Bayonet

Order Code	Description	Size	Length	Qty
US0814MHP-05	Single tube, MHP	Infant	8 - 14 cm	5/Bag
US1320MHP-05	Single tube, MHP	Child	13 - 20 cm	5/Bag
US1826MHP-05	Single tube, MHP	Small Adult	18 - 26 cm	5/Bag
US2635MHP-05	Single tube, MHP	Adult	26 - 35 cm	5/Bag
US2938MHP-05	Single tube, MHP	Adult Long	29 - 38 cm	5/Bag
US3242MHP-05	Single tube, MHP	Large Adult	32 - 42 cm	5/Bag
US3544MHP-05	Single tube, MHP	Large Adult Long	35 - 44 cm	5/Bag
US4250MHP-05	Single tube, MHP	Thigh	42 - 50 cm	5/Bag

Hose



714-0018-00	NIBP hose, single tube	Adult	275 cm/9 ft	1 Each
-------------	------------------------	-------	-------------	--------

élance Vital Signs Monitor

The élance family of integrated monitors offers you high-performance monitoring of essential parameters including ECG (3- and 5-lead), respiration, noninvasive blood pressure, peripheral O2 saturation and two temperatures. The “i” models add two channels of invasive blood pressure, and the “c” models add Microstream end tidal CO2.



élance Vital Signs Monitor
93300

Order Code	Description		Qty
ECG Lead Wires & Cables			
ECG Integrated Cables and Lead Wires			
700-0008-22	5-lead Wire Set, Snap, Shielded, AAMI Color Coding, with Integrated Cable, Shielded	61cm/10in 305 cm/10 ft	1 Each
700-0008-23	5-lead Wire Set, Snap, Shielded, IEC Color Coding, with Integrated Cable, Shielded	61cm/10in 305 cm/10 ft	1 Each
700-0008-24	3-lead Wire Set, Snap, Shielded, AAMI Color Coding, with Integrated Cable, Shielded	61cm/10in 305 cm/10 ft	1 Each
700-0008-25	3-lead Wire Set, Snap, Shielded, IEC Color Coding, with Integrated Cable, Shielded	61cm/10in 305 cm/10 ft	1 Each
ECG Cables			
700-0008-06	Shielded ECG cable, 5-lead, AAMI	305 cm/10 ft	1 Each
700-0008-07	Shielded ECG cable, 5-lead, IEC	305 cm/10 ft	1 Each
700-0008-08	Shielded ECG cable, 3-lead, AAMI	305 cm/10 ft	1 Each
700-0008-09	Shielded ECG cable, 3-lead, IEC	305 cm/10 ft	1 Each







élance Vital Signs Monitor

The élance family of integrated monitors offers you high-performance monitoring of essential parameters including ECG (3- and 5-lead), respiration, noninvasive blood pressure, peripheral O2 saturation and two temperatures. The “i” models add two channels of invasive blood pressure, and the “c” models add Microstream end tidal CO2.



élance Vital Signs Monitor
93300




Order Code	Description		Qty
ECG Lead Wires & Cables			
3-Lead ECG Lead Wire Sets, Snap			
	700-0007-00	Snap shielded ECG lead wire set, 3-lead, AAMI	61cm/24in 1 Set
	700-0007-02	Snap shielded ECG lead wire set, 3-lead, AAMI	102cm/40in 1 Set
	700-0007-01	Snap shielded ECG lead wire set, 3-lead, IEC	61cm/24in 1 Set
	700-0007-03	Snap shielded ECG lead wire set, 3-lead, IEC	102cm/40in 1 Set
5-Lead ECG Lead Wire Sets, Snap			
	700-0007-08	Snap shielded ECG lead wire set, 5-lead, AAMI	61cm/24in 1 Set
	700-0007-10	Snap shielded ECG lead wire set, 5-lead, AAMI	102cm/40in 1 Set
	700-0007-09	Snap shielded ECG lead wire set, 5-lead, IEC	61cm/24in 1 Set
	700-0007-11	Snap shielded ECG lead wire set, 5-lead, IEC	102cm/40in 1 Set
3-Lead ECG Lead Wire Sets, Pinch			
	700-0006-00	Pinch shielded ECG lead wire set, 3-lead, AAMI	61cm/24in 1 Set
	700-0006-02	Pinch shielded ECG lead wire set, 3-lead, AAMI	102cm/40in 1 Set
	700-0006-01	Pinch shielded ECG lead wire set, 3-lead, IEC	61cm/24in 1 Set
	700-0006-03	Pinch shielded ECG lead wire set, 3-lead, IEC	102cm/40in 1 Set

élance Vital Signs Monitor

The élance family of integrated monitors offers you high-performance monitoring of essential parameters including ECG (3- and 5-lead), respiration, noninvasive blood pressure, peripheral O2 saturation and two temperatures. The “i” models add two channels of invasive blood pressure, and the “c” models add Microstream end tidal CO2.



élance Vital Signs Monitor
93300







Order Code	Description		Qty
ECG Lead Wires & Cables			
5-Lead ECG Lead Wire Sets, Pinch			
	700-0006-08	Pinch shielded ECG lead wire set, 5-lead, AAMI	61cm/24in 1 Set
	700-0006-10	Pinch shielded ECG lead wire set, 5-lead, AAMI	102cm/40in 1 Set
	700-0006-09	Pinch shielded ECG lead wire set, 5-lead, IEC	61cm/24in 1 Set
	700-0006-11	Pinch shielded ECG lead wire set, 5-lead, IEC	102cm/40in 1 Set
Electrodes			
	690-0289-00	ECG electrode, transparent tape, adult, single use	Adult 30/Box
	690-0262-00	ECG electrode, transparent tape, general/stress	Adult 30/Box

élance Vital Signs Monitor

The élance family of integrated monitors offers you high-performance monitoring of essential parameters including ECG (3- and 5-lead), respiration, noninvasive blood pressure, peripheral O₂ saturation and two temperatures. The “i” models add two channels of invasive blood pressure, and the “c” models add Microstream end tidal CO₂.



élance Vital Signs Monitor
93300

Order Code	Description	Qty
Spacelabs TruLink SpO₂ Technology		
SpO₂ Cable		
700-0287-00	SpO ₂ adapter cable	305 cm/10 ft 1 Each
Reusable sensors		
015-0660-00	TruLink SpO ₂ finger sensor Includes: 1 Sensor 1 ear clip 10 adult finger/neonate feet/hand wraps 10 pediatric finger or infant toe adhesive wraps	Adult >30 kg 1 Each Pediatric 10-50kg Infant 3-20kg Neonatal <3kg
Disposable Sensors		
	015-0662-00 TruLink SpO ₂ foam sensor	Adult > 30 kg/66 lbs. 24/Box
	015-0663-00 TruLink SpO ₂ vinyl sensor	Adult >30 kg/66 lbs. 24/Box
	015-0664-00 TruLink SpO ₂ foam sensor	Pediatric 10-50 kg/22-110 lbs. 24/Box
	015-0665-00 TruLink SpO ₂ vinyl sensor	Pediatric 10-50 kg/22-110 lbs. 24/Box
	015-0666-00 TruLink SpO ₂ finger sensor	Infant 3-20 kg/7-44 lbs. 24/Box
	015-0667-00 TruLink SpO ₂ cloth sensor	Neonatal <3 kg/7 lbs. 24/Box

élance Vital Signs Monitor

The élance family of integrated monitors offers you high-performance monitoring of essential parameters including ECG (3- and 5-lead), respiration, noninvasive blood pressure, peripheral O2 saturation and two temperatures. The “i” models add two channels of invasive blood pressure, and the “c” models add Microstream end tidal CO2.



élance Vital Signs Monitor
93300

Order Code	Description		Qty
LNCS Masimo SET SpO2 Technology			
LNCS Adapter Cable			
690-0256-00	SpO2 Adapter Cable, Masimo, LNCS	305 cm/10 ft	1 Each
LNCS reusable sensors			
690-0247-00	Masimo LNCS DC-I Digit Sensor	Adult > 30 kg	1 Each
690-0248-00	Masimo LNCS DC-IP Pediatric Digit Sensor	Pediatric 10-50 kg	1 Each
690-0249-00	Masimo LNCS TC-I Tip-Clip Ear Sensor	Adult > 30 kg	1 Each
690-0250-00	Masimo LNCS TF-I Transflectance Forehead Sensor	Adult > 30 kg	1 Each
690-0291-00	Masimo LNCS Y-I multisite sensor	> 1 kg	1 Each
LNCS disposable sensors			
690-0251-00	Masimo LNCS Amtx adhesive sensor, 18 in.	Adult > 30 kg	20/Box
690-0252-00	Masimo LNCS Pmtx adhesive sensor, 18 in.	Pediatric 10 - 50 kg	20/Box

éance Vital Signs Monitor

The éance family of integrated monitors offers you high-performance monitoring of essential parameters including ECG (3- and 5-lead), respiration, noninvasive blood pressure, peripheral O2 saturation and two temperatures. The “i” models add two channels of invasive blood pressure, and the “c” models add Microstream end tidal CO2.



éance Vital Signs Monitor
93300

Order Code	Description		Qty
------------	-------------	--	-----

Nellcor OxiMax SpO2 Technology

Cable

700-0290-00	SpO2 Adapter Cable, Nellcor OxiMax	305cm/10ft	1 Each
690-0271-00	SpO2 Adapter Cable, Nellcor	305cm/10ft	1 Each

Reusable Sensors

Note: Nellcor sensors are available for purchase through Spacelabs Healthcare only with the purchase of capital equipment. All future purchases should be made directly through Nellcor(Covidien), now part of Medtronic.



690-0003-01	Nellcor OxiMax DS-100A finger sensor	Adult	1 Each
-------------	--------------------------------------	-------	--------

Temperature

Temperature Probe

690-0261-01	Skin/Surface Temp probe, reusable, YSI-400	305cm/10ft	1 Each
-------------	--	------------	--------

élance Vital Signs Monitor

The élance family of integrated monitors offers you high-performance monitoring of essential parameters including ECG (3- and 5-lead), respiration, noninvasive blood pressure, peripheral O2 saturation and two temperatures. The “i” models add two channels of invasive blood pressure, and the “c” models add Microstream end tidal CO2.



élance Vital Signs Monitor
93300

Order Code	Description	Qty
Invasive Blood Pressure		
Interface Cable		
690-0021-00	Compatible with Datex-Ohmeda TC-VTK or Becton Dickinson model	366 cm/12 ft 1 Each
Diaphragm Dome, Single Use		
690-0018-00	Diaphragm dome, single use. Rotating luer lock fittings Compatible with Datex-Ohmeda TA101OND	12/Box



Invasive Blood Pressure

Pressure Transducer Kits, Single use		
690-0008-00	Transducer Kit, Patient Mount, DTX/Plus	152.5 cm/60 in 5/Box
690-0009-00	Transducer Kit, Pole Mount, DTX/Plus	152.5 cm/60 in 5/Box

éance Vital Signs Monitor

The éance family of integrated monitors offers you high-performance monitoring of essential parameters including ECG (3- and 5-lead), respiration, noninvasive blood pressure, peripheral O2 saturation and two temperatures. The “i” models add two channels of invasive blood pressure, and the “c” models add Microstream end tidal CO2.



éance Vital Signs Monitor
93300

Order Code	Description	Qty
------------	-------------	-----

Capnography

Sampling Lines

Note: (Oridion) FilterLine® and Smart CapnoLine Plus® supplies are available for purchase through Spacelabs Healthcare only with the purchase of capital equipment. All future purchases should be made directly through Covidien, now part of Medtronic.

704-0167-00	FilterLine H Set	Adult/Pediatric	25/PK
704-0168-00	FilterLine Set	Adult/Pediatric	25/PK
704-0170-00	Smart CapnoLine Plus	Pediatric	25/PK
704-0171-00	Smart CapnoLine Plus		25/PK

Recording & Printing



Paper

307568-001	TruLink Thermal Paper, Z-fold Pads, 2- or 4-channel printing, blank	45.7 m/150 ft	10 Pads/Box
------------	--	---------------	-------------