

# SUPPLIES & ACCESSORIES

## ELECTROCARDIOGRAPHY

### AAMI Color Coding



### ECG Combiner Lead Wires & Cables

Our ECG Combiner System of lead wires, cables and adapters allows you to standardize ECG supplies across monitoring brands. The system features a universal connection between cables and lead wires which allows a quick connect/disconnect between monitors and telemetry, and disposable lead wire options. System is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



Order Code	Description	Length	Qty
------------	-------------	--------	-----

#### ECG Combiner Lead Wire Sets - requires ECG Combiner Cable or Adapter



Multi-pinch

##### Disposable, DIN Shielded, Multi-Pinch, AAMI

700-0006-30	3 Lead	Multi-Pinch	127cm /50 in	25 Sets
700-0006-32	5 Lead	Multi-Pinch	127cm /50 in	25 Sets
700-0006-33	5 Lead (V-Lead)	Multi-Pinch	127cm /50 in	25 Sets
700-0006-34	6 Lead	Multi-Pinch	127cm /50 in	25 Sets



Multi-pinch

##### Reusable, DIN Shielded, Multi-Pinch, AAMI

700-0006-35	3 Lead	Multi-Pinch	74cm /29 in	1 Set
700-0006-37	5 Lead	Multi-Pinch	74cm /29 in	1 Set
700-0006-38	5 Lead (V-Lead)	Multi-Pinch	74cm /29 in	1 Set
700-0006-39	6 Lead	Multi-Pinch	74cm /29 in	1 Set
700-0010-00	3 Lead	Multi-Pinch	130cm/51 in	1 Set
700-0010-01	5 Lead	Multi-Pinch	130cm/51 in	1 Set
700-0010-02	5 Lead (V-Lead)	Multi-Pinch	130cm/51 in	1 Set



Snap

##### Reusable, DIN Shielded, Snap, AAMI

700-0007-35	3 Lead	Snap	74cm /29 in	1 Set
700-0007-37	5 Lead	Snap	74cm /29 in	1 Set
700-0007-39	6 Lead	Snap	74cm /29 in	1 Set

#### ECG Combiner Radiolucent Lead Wire Sets - requires ECG Combiner Cable or Adapter



##### Radiolucent, Reusable, DIN Unshielded, Multi-Pinch, AAMI

700-0010-03	3 Lead, Radiolucent	Multi-Pinch	74cm /29 in	1 Set
700-0010-04	5 Lead, Radiolucent	Multi-Pinch	74cm /29 in	1 Set
700-0010-05	3 Lead, Radiolucent	Multi-Pinch	122cm/48 in	1 Set
700-0010-06	5 Lead, Radiolucent	Multi-Pinch	122cm/48 in	1 Set
700-0010-07	3 Lead, Radiolucent	Multi-Pinch	183cm/72 in	1 Set
700-0010-08	5 Lead, Radiolucent	Multi-Pinch	183cm/72 in	1 Set

## ECG Combiner Lead Wires & Cables

Our ECG Combiner System of lead wires, cables and adapters allows you to standardize ECG supplies across monitoring brands. The system features a universal connection between cables and lead wires which allows a quick connect/disconnect between monitors and telemetry, and disposable lead wire options. System is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



Order Code	Description	Length	Qty
------------	-------------	--------	-----

### ECG Combiner Cables

#### Spacelabs Connect Hardwired Cables for use with Spacelabs command module 90496/91496



700-0008-55	3 Lead	Spacelabs	305 cm/10 ft	1 Cable
700-0008-57	5 Lead	Spacelabs	305 cm/10 ft	1 Cable
700-0008-59	6 Lead	Spacelabs	305 cm/10 ft	1 Cable
700-0008-56	10 Lead (5+5)	Spacelabs	305 cm/10 ft	1 Cable
700-0008-58	10 Lead (6+4)	Spacelabs	305 cm/10 ft	1 Cable

### ECG Combiner Adapters

#### Spacelabs Telemetry, AAMI



700-0008-80	5 Lead	Ultraview Telemetry (9034X/ 9134X)		1 Adapter
700-0008-88	5 Lead	Aria Telemetry (96281)		1 Adapter

## ECG Combiner Lead Wires & Cables

Our ECG Combiner System of lead wires, cables and adapters allows you to standardize ECG supplies across monitoring brands. The system features a universal connection between cables and lead wires which allows a quick connect/disconnect between monitors and telemetry, and disposable lead wire options. System is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



Order Code	Description	Length	Qty
------------	-------------	--------	-----

### ECG Combiner Cables for Standardization



Other manufacturers				
700-0008-30	3 Lead	Datascope	305 cm/10 ft	1 Cable
700-0008-31	5 Lead	Datascope	305 cm/10 ft	1 Cable
700-0008-33	3 Lead	Datex-Ohmeda	305 cm/10 ft	1 Cable
700-0008-34	5 Lead	Datex-Ohmeda	305 cm/10 ft	1 Cable
700-0008-35	6 lead	Datex-Ohmeda	305 cm/10 ft	1 Cable
700-0008-36	3 Lead	GE	305 cm/10 ft	1 Cable
700-0008-37	5 Lead	GE	305 cm/10 ft	1 Cable

## ECG Combiner Lead Wires & Cables

Our ECG Combiner System of lead wires, cables and adapters allows you to standardize ECG supplies across monitoring brands. The system features a universal connection between cables and lead wires which allows a quick connect/disconnect between monitors and telemetry, and disposable lead wire options. System is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



Order Code	Description	Length	Qty
------------	-------------	--------	-----

### ECG Combiner Cables for Standardization



Other manufacturers				
700-0008-38	10 Lead (5+5)	GE	305 cm/10 ft	1 Cable
700-0008-39	6 Lead	GE	305 cm/10 ft	1 Cable
700-0008-40	10 Lead (6+4)	GE	305 cm/10 ft	1 Cable
700-0008-47	3 Lead	Philips	305 cm/10 ft	1 Cable
700-0008-48	10 Lead (5+5)	Philips	305 cm/10 ft	1 Cable
700-0008-49	5 Lead	Philips	305 cm/10 ft	1 Cable
700-0008-50	10 Lead (6+4)	Philips	305 cm/10 ft	1 Cable

### ECG Combiner Lead Wires & Cables

Our ECG Combiner System of lead wires, cables and adapters allows you to standardize ECG supplies across monitoring brands. The system features a universal connection between cables and lead wires which allows a quick connect/disconnect between monitors and telemetry, and disposable lead wire options. System is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



Order Code	Description	Length	Qty
------------	-------------	--------	-----

#### ECG Combiner Cables for Standardization



##### Other manufacturers

700-0008-51	6 Lead	Philips	305 cm/10 ft	1 Cable
700-0008-41	3 Lead	Medtronic LifePak	305 cm/10 ft	1 Cable
700-0008-42	5 Lead	Medtronic LifePak	305 cm/10 ft	1 Cable
700-0008-43	6 lead	Medtronic LifePak	305 cm/10 ft	1 Cable
700-0008-44	3 Lead	Nihon Kohden	305 cm/10 ft	1 Cable
700-0008-45	5 Lead	Nihon Kohden	305 cm/10 ft	1 Cable
700-0008-46	6 lead	Nihon Kohden	305 cm/10 ft	1 Cable
700-0008-52	3 Lead	Zoll, 90° angle	305 cm/10 ft	1 Cable
700-0008-53	5 Lead	Zoll, 90° angle	305 cm/10 ft	1 Cable
700-0008-54	6 lead	Zoll, 90° angle	305 cm/10 ft	1 Cable



### ECG Lead Wire & Cables - Shielded

TruLink ECG lead wires are designed and validated for use with Spacelabs monitoring systems. Ten foot reusable monitor cables are available in 3, 5, or 10 lead configurations. The reusable shielded TruLink lead wires feature individual color-coded leads with a 2-prong connection into the monitor cable. They are available in a variety of lengths with either a snap or pinch electrode interface. For use with Spacelabs command modules 90496/91496.



Shielded Lead Wire



91496

Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

#### ECG Lead Wire Sets, Shielded, Reusable, AAMI

##### Snap Sets



Snap

700-0007-00	3 Lead, Shielded	61 cm/24 in	1 Set
700-0007-02	3 Lead, Shielded	102 cm/40 in	1 Set
700-0007-08	5 Lead, Shielded	61 cm/24 in	1 Set
700-0007-10	5 Lead, Shielded	102 cm/40 in	1 Set
700-0007-16*	10 Lead, limb/chest, Shielded	61 cm/24 in	1 Set
700-0007-18*	10 Lead, limb/chest, Shielded	102 cm/40 in	1 Set

\*10 Lead ECG Lead Wire Sets not compatible with mCare Monitor 91220

##### Pinch Sets



Pinch

700-0006-00	3 Lead, Shielded	61 cm/24 in	1 Set
700-0006-02	3 Lead, Shielded	102 cm/40 in	1 Set
700-0006-08	5 Lead, Shielded	61 cm/24 in	1 Set
700-0006-10	5 Lead, Shielded	102 cm/40 in	1 Set
700-0006-16	10 Lead, limb/chest, Shielded	61 cm/24 in	1 Set
700-0006-18	10 Lead, limb/chest, Shielded	102 cm/40 in	1 Set

\*10 Lead ECG Lead Wire Sets not compatible with mCare Monitor 91220

## ECG Lead Wire & Cables - Shielded

TruLink ECG lead wires are designed and validated for use with Spacelabs monitoring systems. Ten foot reusable monitor cables are available in 3, 5, or 10 lead configurations. The reusable shielded TruLink lead wires feature individual color-coded leads with a 2-prong connection into the monitor cable. They are available in a variety of lengths with either a snap or pinch electrode interface. For use with Spacelabs command modules 90496/91496.



Shielded Lead Wire



91496

Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

### ECG Lead Wires, Individual Colors, Shielded, Reusable, AAMI



24" Snap Individual Color			
012-0498-00	Red	61 cm/24 in	3/Pack
012-0498-04	Black	61 cm/24 in	3/Pack
012-0498-34	Black	61 cm/24 in	5/Pack
012-0498-05	Brown	61 cm/24 in	3/Pack
012-0498-03	White	61 cm/24 in	3/Pack
012-0498-01	Green	61 cm/24 in	3/Pack
012-0498-06	Red	102 cm/40 in	3/Pack
012-0498-09	Black	102 cm/40 in	3/Pack
012-0498-27	Brown	102 cm/40 in	3/Pack
012-0498-08	White	102 cm/40 in	3/Pack
012-0498-07	Green	102 cm/40 in	3/Pack

### ECG Cables, Shielded, AAMI



With 17 PIN Adapter			
700-0008-08	3 Lead, Shielded	305 cm/10 ft	1 Cable
700-0008-06	5 Lead, Shielded	305 cm/10 ft	1 Cable
700-0008-00	10 Lead, Shielded	305 cm/10 ft	1 Cable



## ECG Lead Wire & Cables - Shielded

TruLink ECG lead wires are designed and validated for use with Spacelabs monitoring systems. Ten foot reusable monitor cables are available in 3, 5, or 10 lead configurations. The reusable shielded TruLink lead wires feature individual color-coded leads with a 2-prong connection into the monitor cable. They are available in a variety of lengths with either a snap or pinch electrode interface. For use with Spacelabs command modules 90496/91496.





Shielded Lead Wire






91496

Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

### ECG Accessories

Electrodes			
	690-0289-00	ECG electrode, transparent tape, adult, single use	Adult 30/Box
	690-0262-00	ECG electrode, transparent tape, general/stress, adult, single use	Adult 30/Box

### Neonatal ECG Supplies & Accessories

DIN Unshielded, Neonatal ECG Cable			
	700-0008-12	3 Lead	Neonatal 1 Cable
DIN Unshielded, Neonatal Electrodes			
	685-0037-00	Pre-wired neonatal electrodes, Pre-gelled, silver/silver chloride, single use	3-Lead 100 Sets/Box
Electrode			
	690-0290-00	ECG electrode, transparent tape, pediatric/neonatal, single use	Ped/Neo 30/Box