

SUPPLIES & ACCESSORIES

ELECTROCARDIOGRAPHY

AAMI Color Coding



ECG Combiner Lead Wires & Cables

Our ECG Combiner System of lead wires, cables and adapters allows you to standardize ECG supplies across monitoring brands. The system features a universal connection between cables and lead wires which allows a quick connect/disconnect between monitors and telemetry, and single patient multiple use lead wire options. System is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



Order Code	Description	Length	Qty
------------	-------------	--------	-----

ECG Combiner Lead Wire Sets - requires ECG Combiner Cable or Adapter



Disposable, DIN Shielded, Pinch, AAMI

700-0006-50	3-Lead	Pinch	127cm /50 in	25 Sets
* 700-0006-32	5 Lead	Pinch	127cm /50 in	25 Sets
* 700-0006-33	5 Lead (V-Lead)	Pinch	127cm /50 in	25 Sets



Disposable, DIN Shielded, Snap, AAMI

700-0006-60	3-Lead	Snap	127cm /50 in	25 Sets
700-0006-61	5 Lead	Snap	127cm /50 in	25 Sets



Reusable, DIN Shielded, Pinch, AAMI

* 700-0006-35	3 Lead	Pinch	74cm /29 in	1 Set
* 700-0006-37	5 Lead	Pinch	74cm /29 in	1 Set
* 700-0006-38	5 Lead (V-Lead)	Pinch	74cm /29 in	1 Set

Pinch 700-0010-00	3 Lead	Pinch	130cm/51 in	1 Set
* 700-0010-01	5 Lead	Pinch	130cm/51 in	1 Set
700-0010-02	5 Lead (V-Lead)	Pinch	130cm/51 in	1 Set



Reusable, DIN Shielded, Snap, AAMI

* 700-0007-35	3 Lead	Snap	74cm /29 in	1 Set
* 700-0007-37	5 Lead	Snap	74cm /29 in	1 Set

Snap 700-0010-18	3-Lead	Snap	130cm /51 in	1 Set
700-0010-19	5-Lead	Snap	130cm /51 in	1 Set

ECG Combiner Radiolucent Lead Wire Sets - requires ECG Combiner Cable or Adapter



Radiolucent, Reusable, DIN Unshielded, Pinch, AAMI

700-0010-06	5 Lead, Radiolucent	Pinch	122cm/48 in	1 Set
700-0010-08	5 Lead, Radiolucent	Pinch	183cm/72 in	1 Set

ECG Combiner Lead Wires & Cables

Our ECG Combiner System of lead wires, cables and adapters allows you to standardize ECG supplies across monitoring brands. The system features a universal connection between cables and lead wires which allows a quick connect/disconnect between monitors and telemetry, and single patient multiple use lead wire options. System is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



	Order Code	Description		Length	Qty
--	------------	-------------	--	--------	-----

ECG Combiner Cables

Spacelabs Connect Hardwired Cables for use with Spacelabs command module 90496/91496



* 700-0008-55	3 Lead	Spacelabs		305 cm/10 ft	1 Cable
---------------	--------	-----------	--	--------------	---------



* 700-0008-57	5 Lead	Spacelabs		305 cm/10 ft	1 Cable
---------------	--------	-----------	--	--------------	---------



700-0008-32	5 Lead	Spacelabs		457 cm/15 ft	1 Cable
-------------	--------	-----------	--	--------------	---------



* 700-0008-56	10 Lead (5+5)	Spacelabs		305 cm/10 ft	1 Cable
---------------	---------------	-----------	--	--------------	---------

ECG Combiner Adapters

Spacelabs Telemetry, AAMI



700-0008-80	5 Lead	Ultraview Telemetry (9034X/ 9134X)			1 Adapter
-------------	--------	---------------------------------------	--	--	-----------



700-0008-88	5 Lead	Aria Telemetry (96281)			1 Adapter
-------------	--------	------------------------	--	--	-----------

ECG Combiner Lead Wires & Cables

Our ECG Combiner System of lead wires, cables and adapters allows you to standardize ECG supplies across monitoring brands. The system features a universal connection between cables and lead wires which allows a quick connect/disconnect between monitors and telemetry, and single patient multiple use lead wire options. System is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



Order Code	Description	Length	Qty
------------	-------------	--------	-----

ECG Combiner Cables for Standardization

Indicates discontinued part, available while supplies last

* Product not available for sale into CE Mark Countries (EU)

Other manufacturers



700-0008-37	5 Lead	GE	305 cm/10 ft	1 Cable
700-0008-38	10 Lead (5+5)	GE	305 cm/10 ft	1 Cable
700-0008-48	10 Lead (5+5)	Philips	305 cm/10 ft	1 Cable
700-0008-49	5 Lead	Philips	305 cm/10 ft	1 Cable

ECG Lead Wire & Cables - Shielded

TruLink ECG lead wires are designed and validated for use with Spacelabs monitoring systems. Ten foot reusable monitor cables are available in 3, 5, or 10 lead configurations. The reusable shielded TruLink lead wires feature individual color-coded leads with a 2-prong connection into the monitor cable. They are available in a variety of lengths with either a snap or pinch electrode interface. For use with Spacelabs command modules 90496/91496.



Shielded Lead Wire



91496

Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

ECG Lead Wire Sets, Shielded, Reusable, AAMI

Snap Sets



Snap

700-0007-00	3 Lead, Shielded	61 cm/24 in	1 Set
700-0007-02	3 Lead, Shielded	102 cm/40 in	1 Set
700-0007-08	5 Lead, Shielded	61 cm/24 in	1 Set
700-0007-10	5 Lead, Shielded	102 cm/40 in	1 Set
700-0007-16*	10 Lead, limb/chest, Shielded	61 cm/24 in	1 Set
700-0007-18*	10 Lead, limb/chest, Shielded	102 cm/40 in	1 Set

*10 Lead ECG Lead Wire Sets not compatible with mCare Monitor 91220

Pinch Sets



Pinch

700-0006-00	3 Lead, Shielded	61 cm/24 in	1 Set
700-0006-02	3 Lead, Shielded	102 cm/40 in	1 Set
700-0006-08	5 Lead, Shielded	61 cm/24 in	1 Set
700-0006-10	5 Lead, Shielded	102 cm/40 in	1 Set
700-0006-16	10 Lead, limb/chest, Shielded	61 cm/24 in	1 Set

*10 Lead ECG Lead Wire Sets not compatible with mCare Monitor 91220

ECG Lead Wire & Cables - Shielded

TruLink ECG lead wires are designed and validated for use with Spacelabs monitoring systems. Ten foot reusable monitor cables are available in 3, 5, or 10 lead configurations. The reusable shielded TruLink lead wires feature individual color-coded leads with a 2-prong connection into the monitor cable. They are available in a variety of lengths with either a snap or pinch electrode interface. For use with Spacelabs command modules 90496/91496.



Shielded Lead Wire



91496

Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

ECG Lead Wires, Individual Colors, Shielded, Reusable, AAMI

24" Snap Individual Color



012-0498-00	Red	61 cm/24 in	3/Pack
012-0498-04	Black	61 cm/24 in	3/Pack
012-0498-34	Black	61 cm/24 in	5/Pack
012-0498-05	Brown	61 cm/24 in	3/Pack
012-0498-03	White	61 cm/24 in	3/Pack
012-0498-01	Green	61 cm/24 in	3/Pack
012-0498-06	Red	102 cm/40 in	3/Pack
012-0498-09	Black	102 cm/40 in	3/Pack
012-0498-27	Brown	102 cm/40 in	3/Pack
012-0498-08	White	102 cm/40 in	3/Pack
012-0498-07	Green	102 cm/40 in	3/Pack

Indicates discontinued part, available while supplies last

ECG Cables, Shielded, AAMI

With 17 PIN Adapter



700-0008-08	3 Lead, Shielded	305 cm/10 ft	1 Cable
700-0008-06	5 Lead, Shielded	305 cm/10 ft	1 Cable
700-0008-00	10 Lead, Shielded	305 cm/10 ft	1 Cable

ECG Lead Wire & Cables - Shielded

TruLink ECG lead wires are designed and validated for use with Spacelabs monitoring systems. Ten foot reusable monitor cables are available in 3, 5, or 10 lead configurations. The reusable shielded TruLink lead wires feature individual color-coded leads with a 2-prong connection into the monitor cable. They are available in a variety of lengths with either a snap or pinch electrode interface. For use with Spacelabs command modules 90496/91496.





Shielded Lead Wire





91496

Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

ECG Accessories

Electrodes			
	690-0289-00	ECG electrode, transparent tape, adult, single use	Adult 30/Box
	690-0262-00	ECG electrode, transparent tape, general/stress, adult, single use	Adult 30/Box

Neonatal ECG Supplies & Accessories

DIN Unshielded, Neonatal ECG Cable			
	700-0008-12	3 Lead	Neonatal 1 Cable
DIN Unshielded, Neonatal Electrodes. <i>717-0080-00 will replace 685-0037-00 when stock is depleted</i>			
	685-0037-00	Pre-wired neonatal electrodes, Pre-gelled, silver/silver chloride, single use	Not available for sale in EU countries or those requiring a CE-Mark 3-Lead 100 Sets/Box
	717-0080-00	Pre-wired neonatal electrodes, Pre-gelled, silver/silver chloride, single use	Available for sale in EU countries or those requiring a CE-Mark 3-Lead 100 Sets/Box
Electrode			

ECG Lead Wire & Cables - Shielded


TruLink ECG lead wires are designed and validated for use with Spacelabs monitoring systems. Ten foot reusable monitor cables are available in 3, 5, or 10 lead configurations. The reusable shielded TruLink lead wires feature individual color-coded leads with a 2-prong connection into the monitor cable. They are available in a variety of lengths with either a snap or pinch electrode interface. For use with Spacelabs command modules 90496/91496.



**Shielded
Lead Wire**



91496

	Order Code	Description	Length/Size	Qty
	690-0290-00	ECG electrode, transparent tape, pediatric/neonatal, single use	Ped/Neo	30/Box

DIN Unshielded Leadwire & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



DIN Un-Shielded



Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

ECG Lead Wire Sets, DIN Unshielded, Reusable, AAMI



Snap

Snap Sets

012-0283-11	3 Lead	61 cm/24 in	1 Set
012-0285-11	5 Lead	61 cm/24 in	1 Set
012-0605-10	5 Lead	64 cm/25.2 in	1 Set



Pinch

Pinch Sets

012-0284-11	3 Lead	61 cm/24 in	1 Set
012-0286-11	5 Lead	61 cm/24 in	1 Set

ECG Lead Wires, Individual Colors, DIN Unshielded, Reusable, AAMI



Snap

Snap Individual Color

012-0295-06	Red	61 cm/24 in	3/Pack
012-0295-26	Black	61 cm/24 in	3/Pack
012-0295-46	Brown	61 cm/24 in	3/Pack
012-0295-16	White	61 cm/24 in	3/Pack
012-0295-36	Green	61 cm/24 in	3/Pack

DIN Unshielded Leadwire & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



DIN Un-Shielded



Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

ECG Lead Wires, Individual Colors, DIN Unshielded, Reusable, AAMI



Pinch

Pinch Individual Color

012-0296-04	Red	61 cm/24 in	3/Pack
012-0296-14	White	61 cm/24 in	3/Pack
012-0296-24	Black	61 cm/24 in	3/Pack
012-0296-34	Green	61 cm/24 in	3/Pack
012-0296-44	Brown	61 cm/24 in	3/Pack

Telemetry Transmitter Adapters



For use with ECG Combiner Lead Wires

700-0008-88	Aria Telemetry Combiner Adapter (96281)	1 Adapter
-------------	---	-----------



For use with DIN Unshielded Lead Wires

706-0191-00	Aria Telemetry Grouper (96281)	5/Bag
-------------	--------------------------------	-------

DIN Unshielded Leadwire & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



DIN Un-Shielded



Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

Telemetry Accessories

Disposable Pouches and Electrodes



015-0500-02	Ultraview Telemetry pouch (90347)		100/Box
690-0289-00	ECG electrode, transparent tape, adult, single use	Adult	30/Box
690-0262-00	ECG transparent electrode, general/stress	Adult	30/Box

DIN Unshielded Leadwire & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



DIN Un-Shielded



Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

SpO₂ Cable & Sensors

SpO₂ Cable



700-0014-00	TruLink SpO2 Sensor Adapter Cable Compatible with SL multi-parameter telemetry transmitters (90343/91343/96281) and TruLink SpO2 sensors	60 cm/24 in	1 Cable
-------------	--	-------------	---------

Reusable SpO₂ Sensors



015-0660-00	TruLink SpO ₂ finger sensor	Adult >30 kg/66 lbs.	1 Each
-------------	--	-------------------------	--------

Disposable SpO₂ Sensors



015-0662-00	TruLink SpO ₂ foam sensor	Adult > 30 kg/66 lbs.	24/Box
-------------	--------------------------------------	--------------------------	--------



015-0663-00	TruLink SpO ₂ vinyl sensor	Adult >30 kg/66 lbs.	24/Box
-------------	---------------------------------------	-------------------------	--------



015-0664-00	TruLink SpO ₂ foam sensor	Pediatric 10-50 kg/ 22-110 lbs.	24/Box
-------------	--------------------------------------	---------------------------------------	--------



015-0665-00	TruLink SpO ₂ vinyl sensor	Pediatric 10-50 kg/ 22-110 lbs.	24/Box
-------------	---------------------------------------	---------------------------------------	--------



015-0667-00	TruLink SpO ₂ cloth sensor	Neonatal <3 kg/7 lbs.	24/Box
-------------	---------------------------------------	--------------------------	--------

Indicates discontinued part, available while supplies last