

# SUPPLIES & ACCESSORIES PRODUCT CATALOG

July 2021

**SPACELABS**  
HEALTHCARE

Spacelabs Healthcare reserves the right to make changes to the product at any time without notice.  
All brands and product names and trademarks of their respective owners.

Product may not be available for sale in all locations. Check with your Spacelabs representative.

## SUPPLIES & ACCESSORIES



### NON-INVASIVE BLOOD PRESSURE CUFFS



## TruLink® Nylon Reusable

TruLink reusable nylon cuffs provide an economical and durable solution for your NIBP measurement needs. TruLink cuffs feature an anti-microbial coating, fully cleanable nylon construction, and are durable for multi-patient extended use. Available in 8 sizes, TruLink cuffs provide color-coded sizing and markings to assist you in selecting the right size for you patient. TruLink cuffs are naturally latex and PVC-free.



|   | Order Code   | Description                | Size             | Range/<br>Length | Qty    |
|---|--|----------------------------|------------------|------------------|--------|
| <b>TruLink Nylon Reusable BP Cuffs</b>  |  |                            |                  |                  |        |
| <br><b>Bayonet</b> | <b>Single Tube</b>   |                            |                  |                  |        |
|   | <i>For use with Command Modules 90496/91496 and Ultraview DM3 (91330) and DM4 (91331) Monitors</i> |                            |                  |                  |        |
|   | 715-1111-10  | Single tube, HP            | Infant           | 8 - 14 cm        | 1 Each |
|   | 715-1121-10  | Single tube, HP            | Child            | 13 - 20 cm       | 1 Each |
|   | 715-1131-10  | Single tube, HP            | Small Adult      | 18 - 26 cm       | 1 Each |
|   | 715-1141-10  | Single tube, HP            | Adult            | 26 - 35 cm       | 1 Each |
|   | 715-1151-10  | Single tube, HP            | Adult Long       | 29 - 38 cm       | 1 Each |
|   | 715-1161-10  | Single tube, HP            | Large Adult      | 32 - 42 cm       | 1 Each |
|   | 715-1171-10  | Single tube, HP            | Large Adult Long | 35 - 44 cm       | 1 Each |
|   | 715-1181-10  | Single tube, HP            | Thigh Cuff       | 42 - 50 cm       | 1 Each |
|                  | <b>Single Tube Hose</b>  |                            |                  |                  |        |
|   | 714-0018-00  | Single tube, quick connect | Adult            | 275 cm/9 ft      | 1 Each |
|   | 714-0060-00  | Single tube, quick connect | Adult            | 366 cm/12 ft     | 1 Each |

## TruLink® Soft Disposable

TruLink fabric cuffs provide an economical and patient friendly solution for your NIBP measurement needs. TruLink cuffs feature a super-soft Sontara fabric which is comfortable, helps reduce perspiration under the cuff, and is durable for long patient stays. The single patient - multiple use application offers a cost effective solution for infection control. Available in 8 sizes, TruLink cuffs provide a wide range of options for correct readings.



| Order Code | Description | Size | Range/<br>Length | Qty |
|------------|-------------|------|------------------|-----|
|------------|-------------|------|------------------|-----|

### TruLink Soft Disposable BP Cuffs

#### Single Tube

*For use with Command Modules 90496/91496 and Ultraview DM3 (91330) and DM4 (91331) Monitors*

|             |                 |                  |            |       |
|-------------|-----------------|------------------|------------|-------|
| 715-1113-10 | Single tube, HP | Infant           | 8 - 14 cm  | 5/Bag |
| 715-1123-10 | Single tube, HP | Child            | 13 - 20 cm | 5/Bag |
| 715-1133-10 | Single tube, HP | Small Adult      | 18 - 26 cm | 5/Bag |
| 715-1143-10 | Single tube, HP | Adult            | 26 - 35 cm | 5/Bag |
| 715-1153-10 | Single tube, HP | Adult Long       | 29 - 38 cm | 5/Bag |
| 715-1163-10 | Single tube, HP | Large Adult      | 32 - 42 cm | 5/Bag |
| 715-1173-10 | Single tube, HP | Large Adult Long | 35 - 44 cm | 5/Bag |
| 715-1183-10 | Single tube, HP | Thigh Cuff       | 42 - 50 cm | 5/Bag |



Bayonet





#### Single Tube Hose

|             |                            |       |              |        |
|-------------|----------------------------|-------|--------------|--------|
| 714-0018-00 | Single tube, quick connect | Adult | 275 cm/9 ft  | 1 Each |
| 714-0060-00 | Single tube, quick connect | Adult | 366 cm/12 ft | 1 Each |

## TruLink® Vinyl Disposable

TruLink vinyl cuffs provide an economical and patient friendly solution for your NIBP measurement needs. TruLink cuffs feature a soft vinyl construction which is comfortable, cleanable, and is durable for long patient stays. The single patient - multiple use application offers a cost effective solution for infection control. Available in 8 sizes, TruLink cuffs provide a wide range of options for correct readings.



|  | Order Code   | Description                | Size             | Range/<br>Length | Qty    |
|--|--|----------------------------|------------------|------------------|--------|
| <b>TruLink Vinyl Disposable BP Cuffs</b>   |  |                            |                  |                  |        |
| <br><b>Bayonet</b> | <b>Single Tube</b>   |                            |                  |                  |        |
|  | <i>For use with Command Modules 90496/91496 and Ultraview DM3 (91330) and DM4 (91331) Monitors</i> |                            |                  |                  |        |
|  | 715-1112-10  | Single tube, HP            | Infant           | 8 - 14 cm        | 5/Bag  |
|  | 715-1122-10  | Single tube, HP            | Child            | 13 - 20 cm       | 5/Bag  |
|  | 715-1132-10  | Single tube, HP            | Small Adult      | 18 - 26 cm       | 5/Bag  |
|  | 715-1142-10  | Single tube, HP            | Adult            | 26 - 35 cm       | 5/Bag  |
|  | 715-1152-10  | Single tube, HP            | Adult Long       | 29 - 38 cm       | 5/Bag  |
|  | 715-1162-10  | Single tube, HP            | Large Adult      | 32 - 42 cm       | 5/Bag  |
|  | 715-1172-10  | Single tube, HP            | Large Adult Long | 35 - 44 cm       | 5/Bag  |
|  | 715-1182-10  | Single tube, HP            | Thigh Cuff       | 42 - 50 cm       | 5/Bag  |
|                   | <b>Single Tube Hose</b>  |                            |                  |                  |        |
|  | 714-0018-00  | Single tube, quick connect | Adult            | 275 cm/9 ft      | 1 Each |
|  | 714-0060-00  | Single tube, quick connect | Adult            | 366 cm/12 ft     | 1 Each |

## Blood Pressure Cuff Accessories

Spacelabs non-invasive blood pressure cuff accessories are compatible with all Spacelabs and TruLink branded non-invasive blood pressure cuffs. Choose from a variety of hoses, adapters and conversion accessories which offer ease-of-use and flexibility.

| Order Code   | Description       | Size     | Length       | Qty    |
|--|-------------------|----------|--------------|--------|
| <b>Non-Invasive Blood Pressure Hose</b>  |                   |          |              |        |
| <b>Single Tube Hose</b>  |                   |          |              |        |
| <i>For use with Command Modules 90496/91496 and Ultraview DM3 (91330) and DM4 (91331) Monitors</i> |                   |          |              |        |
| 714-0018-00  | 90496/91496/91330 | Adult    | 275 cm/9 ft  | 1 Each |
| 714-0060-00  | 90496/91496/91330 | Adult    | 366 cm/12 ft | 1 Each |
| 714-0019-01  | 90496/91496       | Neonatal | 275 cm/9 ft  | 1 Each |
| <b>Double Tube to Single Tube Hose</b>   |                   |          |              |        |
| <i>For use with Command Modules 90496/91496</i>  |                   |          |              |        |
| 714-0018-12  | 90496/91496       | Adult    | 275 cm/9 ft  | 1 Each |
| 714-0019-12  | 90496/91496       | Neonatal | 275 cm/9 ft  | 1 Each |





## Hose Connectors & Adapters

|  |  |  |  |        |
|--|--|--|--|--------|
| <b>Slip Lock Fitting</b>   |  |  |  |        |
| <i>Fitting for Spacelabs standard NIBP tubing. Adapts hoses for use with quick connect fittings.</i> |  |  |  |        |
| 714-0038-00  | 3mm ID Adult NIBP hoses                            |  |  | 1 Each |
| 714-0047-00  | 4mm ID Adult NIBP hoses                            |  |  | 1 Each |
| 714-0046-00  | 5mm ID Adult NIBP hoses                            |  |  | 1 Each |
| 714-0080-00  | Dual male screw to single female bayonet Y adapter | Attaches HP bayonet cuff to dual screw hose              |  | 1 Each |
| 714-0081-00  | Dual female screw to single male bayonet Y adapter | Attaches dual screw cuff to Spacelabs hose (714-0018-00) |  | 1 Each |
| 714-0082-00  | MQML to single male bayonet Y adapter              | Attaches MQML cuff to Spacelabs hose (714-0018-00)       |  | 1 Each |
| 714-0083-00  | MQML to single female bayonet Y adapter            | Attaches HP bayonet cuff to MQML hose                    |  | 1 Each |
| 714-0084-00  | Dual MQ to single female bayonet Y adapter         | Attaches Spacelabs cuff to dual MQ hose                  |  | 1 Each |

## UltraCheck® Nylon Reusable

UltraCheck reusable nylon cuffs provide an economical and durable solution for your NIBP measurement needs. UltraCheck cuffs feature an anti-microbial coating, fully cleanable nylon construction, and are durable for multi-patient extended use. Available in 8 sizes, UltraCheck cuffs provide color-coded sizing and markings to assist you in selecting the right size for you patient. UltraCheck cuffs are naturally latex and PVC-free.






|   | Order Code         | Description      | Size             | Length     | Qty   |
|---|--------------------|------------------|------------------|------------|-------|
| <b>UltraCheck Nylon Reusable BP Cuffs</b>   |                    |                  |                  |            |       |
|    | <b>Single Tube</b> |                  |                  |            |       |
|   | US0814HP-05        | Single tube, HP  | Infant           | 8 - 14 cm  | 5/Bag |
|   | US1320HP-05        | Single tube, HP  | Child            | 13 - 20 cm | 5/Bag |
|   | US1826HP-05        | Single tube, HP  | Small Adult      | 18 - 26 cm | 5/Bag |
|   | US2635HP-05        | Single tube, HP  | Adult            | 26 - 35 cm | 5/Bag |
|   | US2938HP-05        | Single tube, HP  | Adult Long       | 29 - 38 cm | 5/Bag |
|   | US3242HP-05        | Single tube, HP  | Large Adult      | 32 - 42 cm | 5/Bag |
|   | US3544HP-05        | Single tube, HP  | Large Adult Long | 35 - 44 cm | 5/Bag |
|  | US4250HP-05        | Single tube, HP  | Thigh            | 42 - 50 cm | 5/Bag |
|   | US0814MHP-05       | Single tube, MHP | Infant           | 8 - 14 cm  | 5/Bag |
|   | US1320MHP-05       | Single tube, MHP | Child            | 13 - 20 cm | 5/Bag |
|   | US1826MHP-05       | Single tube, MHP | Small Adult      | 18 - 26 cm | 5/Bag |
|   | US2635MHP-05       | Single tube, MHP | Adult            | 26 - 35 cm | 5/Bag |
|   | US2938MHP-05       | Single tube, MHP | Adult Long       | 29 - 38 cm | 5/Bag |
|   | US3242MHP-05       | Single tube, MHP | Large Adult      | 32 - 42 cm | 5/Bag |
|   | US3544MHP-05       | Single tube, MHP | Large Adult Long | 35 - 44 cm | 5/Bag |
|  | US4250MHP-05       | Single tube, MHP | Thigh            | 42 - 50 cm | 5/Bag |
|   | US1320DM-05        | Single tube, DM  | Child            | 13 - 20 cm | 5/Bag |
|   | US1826DM-05        | Single tube, DM  | Small Adult      | 18 - 26 cm | 5/Bag |
|   | US2635DM-05        | Single tube, DM  | Adult            | 26 - 35 cm | 5/Bag |
|   | US2938DM-05        | Single tube, DM  | Adult Long       | 29 - 38 cm | 5/Bag |
|   | US3544DM-05        | Single tube, DM  | Large Adult      | 32 - 42 cm | 5/Bag |
|   | US3242DM-05        | Single tube, DM  | Large Adult      | 32 - 42 cm | 5/Bag |
|   | US4250DM-05        | Single tube, DM  | Thigh            | 42 - 50 cm | 5/Bag |
|  | US0814MQ-05        | Single tube, MQ  | Infant           | 8 - 14 cm  | 5/Bag |
|   | US1320MQ-05        | Single tube, MQ  | Child            | 13 - 20 cm | 5/Bag |
|   | US1826MQ-05        | Single tube, MQ  | Small Adult      | 18 - 26 cm | 5/Bag |
|   | US2635MQ-05        | Single tube, MQ  | Adult            | 26 - 35 cm | 5/Bag |
|   | US2938MQ-05        | Single tube, MQ  | Adult Long       | 29 - 38 cm | 5/Bag |
|   | US3242MQ-05        | Single tube, MQ  | Large Adult      | 32 - 42 cm | 5/Bag |
|   | US3544MQ-05        | Single tube, MQ  | Large Adult Long | 35 - 44 cm | 5/Bag |
|   | US4250MQ-05        | Single tube, MQ  | Thigh            | 42 - 50 cm | 5/Bag |

Indicates discontinued part, available while supplies last

## UltraCheck® Nylon Reusable

UltraCheck reusable nylon cuffs provide an economical and durable solution for your NIBP measurement needs. UltraCheck cuffs feature an anti-microbial coating, fully cleanable nylon construction, and are durable for multi-patient extended use. Available in 8 sizes, UltraCheck cuffs provide color-coded sizing and markings to assist you in selecting the right size for you patient. UltraCheck cuffs are naturally latex and PVC-free.







|  | Order Code         | Description             | Size             | Length     | Qty    |
|--|--------------------|-------------------------|------------------|------------|--------|
| <b>UltraCheck Nylon Reusable BP Cuffs</b>  |                    |                         |                  |            |        |
| <br><b>Male Subminiature Twist Lock</b> | <b>Single Tube</b> |                         |                  |            |        |
|  | US0814MQML-05      | Single tube, MQML       | Infant           | 8 - 14 cm  | 5/Bag  |
|  | US1320MQML-05      | Single tube, MQML       | Child            | 13 - 20 cm | 5/Bag  |
|  | US1826MQML-05      | Single tube, MQML       | Small Adult      | 18 - 26 cm | 5/Bag  |
|  | US2635MQML-05      | Single tube, MQML       | Adult            | 26 - 35 cm | 5/Bag  |
|  | US2938MQML-05      | Single tube, MQML       | Adult Long       | 29 - 38 cm | 5/Bag  |
|  | US3242MQML-05      | Single tube, MQML       | Large Adult      | 32 - 42 cm | 5/Bag  |
| <br><b>No Fitting</b>                  | US3544MQML-05      | Single tube, MQML       | Large Adult Long | 35 - 44 cm | 5/Bag  |
|  | US0814-05          | Single tube, no fitting | Infant           | 8 - 14 cm  | 5/Bag  |
|  | US1320-05          | Single tube, no fitting | Child            | 13 - 20 cm | 5/Bag  |
|  | US1826-05          | Single tube, no fitting | Small Adult      | 18 - 26 cm | 5/Bag  |
|  | US2635-05          | Single tube, no fitting | Adult            | 26 - 35 cm | 5/Bag  |
|  | US2938-05          | Single tube, no fitting | Adult Long       | 29 - 38 cm | 5/Bag  |
|  | US3242-05          | Single tube, no fitting | Large Adult      | 32 - 42 cm | 5/Bag  |
| <br><b>Manual Bulb</b>                | US3544-05          | Single tube, no fitting | Large Adult Long | 35 - 44 cm | 5/Bag  |
|  | US4250-05          | Single tube, no fitting | Thigh            | 42 - 50 cm | 5/Bag  |
|  | US0814MB           | Single tube, MB w/gauge | Infant           | 8 - 14 cm  | 1 Each |
|  | US1826MB           | Single tube, MB w/gauge | Small Adult      | 18 - 26 cm | 1 Each |
|  | US2635MB           | Single tube, MB w/gauge | Adult            | 26 - 35 cm | 1 Each |
|  | US2938MB           | Single tube, MB w/gauge | Adult Long       | 29 - 38 cm | 1 Each |
|  | US3242MB           | Single tube, MB w/gauge | Large Adult      | 32 - 42 cm | 1 Each |
|  | US3544MB           | Single tube, MB w/gauge | Large Adult Long | 35 - 44 cm | 1 Each |
|  | US4250MB           | Single tube, MB w/gauge | Thigh            | 42 - 50 cm | 1 Each |
| Indicates discontinued part, available while supplies last   |                    |                         |                  |            |        |

## UltraCheck® Nylon Reusable

UltraCheck reusable nylon cuffs provide an economical and durable solution for your NIBP measurement needs. UltraCheck cuffs feature an anti-microbial coating, fully cleanable nylon construction, and are durable for multi-patient extended use. Available in 8 sizes, UltraCheck cuffs provide color-coded sizing and markings to assist you in selecting the right size for you patient. UltraCheck cuffs are naturally latex and PVC-free.




|  | Order Code         | Description             | Size             | Length     | Qty   |
|--|--------------------|-------------------------|------------------|------------|-------|
| <b>UltraCheck Nylon Reusable BP Cuffs</b>  |                    |                         |                  |            |       |
| <br><b>Threaded Screw</b>                   | <b>Double Tube</b> |                         |                  |            |       |
|  | UD0814DM-05        | Double tube, DM         | Infant           | 8 - 14 cm  | 5/Bag |
|  | UD1320DM-05        | Double tube, DM         | Child            | 13 - 20 cm | 5/Bag |
|  | UD1826DM-05        | Double tube, DM         | Small Adult      | 18 - 26 cm | 5/Bag |
|  | UD2635DM-05        | Double tube, DM         | Adult            | 26 - 35 cm | 5/Bag |
|  | UD2938DM-05        | Double tube, DM         | Adult Long       | 29 - 38 cm | 5/Bag |
|  | UD3242DM-05        | Double tube, DM         | Large Adult      | 32 - 42 cm | 5/Bag |
|  | UD3544DM-05        | Double tube, DM         | Large Adult Long | 35 - 44 cm | 5/Bag |
| <br><b>Female Subminiature Twist Lock</b> | UD4250DM-05        | Double tube, DM         | Thigh            | 42 - 50 cm | 5/Bag |
|  | UD0814MQ-05        | Double tube, MQ         | Infant           | 8 - 14 cm  | 5/Bag |
|  | UD1320MQ-05        | Double tube, MQ         | Child            | 13 - 20 cm | 5/Bag |
|  | UD1826MQ-05        | Double tube, MQ         | Small Adult      | 18 - 26 cm | 5/Bag |
|  | UD2635MQ-05        | Double tube, MQ         | Adult            | 26 - 35 cm | 5/Bag |
|  | UD2938MQ-05        | Double tube, MQ         | Adult Long       | 29 - 38 cm | 5/Bag |
|  | UD3242MQ-05        | Double tube, MQ         | Large Adult      | 32 - 42 cm | 5/Bag |
|  | UD3544MQ-05        | Double tube, MQ         | Large Adult Long | 35 - 44 cm | 5/Bag |
| <br><b>Male &amp; Female Mated</b>        | UD4250MQ-05        | Double tube, MQ         | Thigh            | 42 - 50 cm | 5/Bag |
|  | UD0814MQMF-05      | Double tube, MQMF       | Infant           | 8 - 14 cm  | 5/Bag |
|  | UD1320MQMF-05      | Double tube, MQMF       | Child            | 13 - 20 cm | 5/Bag |
|  | UD1826MQMF-05      | Double tube, MQMF       | Small Adult      | 18 - 26 cm | 5/Bag |
|  | UD2635MQMF-05      | Double tube, MQMF       | Adult            | 26 - 35 cm | 5/Bag |
|  | UD2938MQMF-05      | Double tube, MQMF       | Adult Long       | 29 - 38 cm | 5/Bag |
|  | UD3242MQMF-05      | Double tube, MQMF       | Large Adult      | 32 - 42 cm | 5/Bag |
|  | UD4250MQMF-05      | Double tube, MQMF       | Thigh            | 42 - 50 cm | 5/Bag |
| <br><b>No Fitting</b>                     | UD0814-05          | Double tube, no fitting | Infant           | 8 - 14 cm  | 5/Bag |
|  | UD1320-05          | Double tube, no fitting | Child            | 13 - 20 cm | 5/Bag |
|  | UD1826-05          | Double tube, no fitting | Small Adult      | 18 - 26 cm | 5/Bag |
|  | UD2635-05          | Double tube, no fitting | Adult            | 26 - 35 cm | 5/Bag |
|  | UD2938-05          | Double tube, no fitting | Adult Long       | 29 - 38 cm | 5/Bag |
|  | UD3242-05          | Double tube, no fitting | Large Adult      | 32 - 42 cm | 5/Bag |
|  | UD3544-05          | Double tube, no fitting | Large Adult Long | 35 - 44 cm | 5/Bag |
|  | UD4250-05          | Double tube, no fitting | Thigh            | 42 - 50 cm | 5/Bag |

## UltraCheck® Nylon Reusable

UltraCheck reusable nylon cuffs provide an economical and durable solution for your NIBP measurement needs. UltraCheck cuffs feature an anti-microbial coating, fully cleanable nylon construction, and are durable for multi-patient extended use. Available in 8 sizes, UltraCheck cuffs provide color-coded sizing and markings to assist you in selecting the right size for you patient. UltraCheck cuffs are naturally latex and PVC-free.



|  | Order Code         | Description     | Size             | Length     | Qty   |
|--|--------------------|-----------------|------------------|------------|-------|
| <b>UltraCheck Nylon Reusable BP Cuffs</b>  |                    |                 |                  |            |       |
| <br>Manual Bulb | <b>Double Tube</b> |                 |                  |            |       |
|  | UD0814MB-05        | Double tube, MB | Infant           | 8 - 14 cm  | 5/Bag |
|  | UD1320MB-05        | Double tube, MB | Child            | 13 - 20 cm | 5/Bag |
|  | UD1826MB-05        | Double tube, MB | Small Adult      | 18 - 26 cm | 5/Bag |
|  | UD2635MB-05        | Double tube, MB | Adult            | 26 - 35 cm | 5/Bag |
|  | UD2938MB-05        | Double tube, MB | Adult Long       | 29 - 38 cm | 5/Bag |
|  | UD3242MB-05        | Double tube, MB | Large Adult      | 32 - 42 cm | 5/Bag |
|  | UD3544MB-05        | Double tube, MB | Large Adult Long | 35 - 44 cm | 5/Bag |
|  | UD4250MB-05        | Double tube, MB | Thigh            | 42 - 50 cm | 5/Bag |
| Indicates discontinued part, available while supplies last                                       |                    |                 |                  |            |       |

## SoftCheck® Fabric Disposable

SoftCheck fabric cuffs provide an economical and patient friendly solution for your NIBP measurement needs. SoftCheck cuffs feature a super-soft Sontara fabric which is comfortable, helps reduce perspiration under the cuff, and is durable for long patient stays. The single patient - multiple use application offers a cost effective solution for infection control. Available in 8 sizes, SoftCheck cuffs provide a wide range of options for correct readings.



**Range/  
Length**

**Qty**

**Order Code**

**Description**

**Size**

### SoftCheck Fabric Disposable BP Cuffs

#### Single Tube

|                    |                        |                  |                   |               |
|--------------------|------------------------|------------------|-------------------|---------------|
| ST0814HP-05        | Single tube, HP        | Infant           | 8 - 14 cm         | 5/Bag         |
| <b>ST0814HP-20</b> | <b>Single tube, HP</b> | <b>Infant</b>    | <b>8 - 14 cm</b>  | <b>20/Box</b> |
| ST1320HP-05        | Single tube, HP        | Child            | 13 - 20 cm        | 5/Bag         |
| ST1320HP-20        | Single tube, HP        | Child            | 13 - 20 cm        | 20/Box        |
| ST1826HP-05        | Single tube, HP        | Small Adult      | 18 - 26 cm        | 5/Bag         |
| ST1826HP-20        | Single tube, HP        | Small Adult      | 18 - 26 cm        | 20/Box        |
| ST2635HP-05        | Single tube, HP        | Adult            | 26 - 35 cm        | 5/Bag         |
| ST2635HP-20        | Single tube, HP        | Adult            | 26 - 35 cm        | 20/Box        |
| ST2938HP-05        | Single tube, HP        | Adult Long       | 29 - 38 cm        | 5/Bag         |
| ST2938HP-20        | Single tube, HP        | Adult Long       | 29 - 38 cm        | 20/Box        |
| ST3242HP-05        | Single tube, HP        | Large Adult      | 32 - 42 cm        | 5/Bag         |
| ST3242HP-20        | Single tube, HP        | Large Adult      | 32 - 42 cm        | 20/Box        |
| ST3544HP-05        | Single tube, HP        | Large Adult Long | 35 - 44 cm        | 5/Bag         |
| ST3544HP-20        | Single tube, HP        | Large Adult Long | 35 - 44 cm        | 20/Box        |
| ST4250HP-05        | Single tube, HP        | Thigh            | 42 - 50 cm        | 5/Bag         |
| <b>ST4250HP-20</b> | <b>Single tube, HP</b> | <b>Thigh</b>     | <b>42 - 50 cm</b> | <b>20/Box</b> |

|                    |                        |               |                  |              |
|--------------------|------------------------|---------------|------------------|--------------|
| <b>ST0814MQ-05</b> | <b>Single tube, MQ</b> | <b>Infant</b> | <b>8 - 14 cm</b> | <b>5/Bag</b> |
| ST1320MQ-05        | Single tube, MQ        | Child         | 13 - 20 cm       | 5/Bag        |
| ST1826MQ-05        | Single tube, MQ        | Small Adult   | 18 - 26 cm       | 5/Bag        |
| ST2635MQ-05        | Single tube, MQ        | Adult         | 26 - 35 cm       | 5/Bag        |
| ST2938MQ-05        | Single tube, MQ        | Adult Long    | 29 - 38 cm       | 5/Bag        |
| ST3242MQ-05        | Single tube, MQ        | Large Adult   | 32 - 42 cm       | 5/Bag        |

|                    |                        |                    |                   |              |
|--------------------|------------------------|--------------------|-------------------|--------------|
| <b>ST1826DM-05</b> | <b>Single tube, DM</b> | <b>Small Adult</b> | <b>18 - 26 cm</b> | <b>5/Bag</b> |
| <b>ST2635DM-05</b> | <b>Single tube, DM</b> | <b>Adult</b>       | <b>26 - 35 cm</b> | <b>5/Bag</b> |
| <b>ST2938DM-05</b> | <b>Single tube, DM</b> | <b>Adult Long</b>  | <b>29 - 38 cm</b> | <b>5/Bag</b> |
| <b>ST3242DM-05</b> | <b>Single tube, DM</b> | <b>Large Adult</b> | <b>32 - 42 cm</b> | <b>5/Bag</b> |

Indicates discontinued part, available while supplies last



**Plastic Bayonet**



**Female  
Subminiature**



**Threaded Screw**

### SoftCheck® Fabric Disposable

SoftCheck fabric cuffs provide an economical and patient friendly solution for your NIBP measurement needs. SoftCheck cuffs feature a super-soft Sontara fabric which is comfortable, helps reduce perspiration under the cuff, and is durable for long patient stays. The single patient - multiple use application offers a cost effective solution for infection control. Available in 8 sizes, SoftCheck cuffs provide a wide range of options for correct readings.



Range/  
Length

Qty

Order Code

Description

Size

### SoftCheck Fabric Single Patient Multiple Use BP Cuffs

#### Single Tube

|           |                         |                  |            |       |
|-----------|-------------------------|------------------|------------|-------|
| ST0814-05 | Single tube, no fitting | Infant           | 8 - 14 cm  | 5/Bag |
| ST1320-05 | Single tube, no fitting | Child            | 13 - 20 cm | 5/Bag |
| ST1826-05 | Single tube, no fitting | Small Adult      | 18 - 26 cm | 5/Bag |
| ST2635-05 | Single tube, no fitting | Adult            | 26 - 35 cm | 5/Bag |
| ST2938-05 | Single tube, no fitting | Adult Long       | 29 - 38 cm | 5/Bag |
| ST3544-05 | Single tube, no fitting | Large Adult Long | 35 - 44 cm | 5/Bag |
| ST4250-05 | Single tube, no fitting | Thigh            | 42 - 50 cm | 5/Bag |



No Fitting

#### Double Tube

|             |                 |             |            |        |
|-------------|-----------------|-------------|------------|--------|
| DT2635DM-05 | Double tube, DM | Adult       | 26 - 35 cm | 5/Bag  |
| DT2635DM-20 | Double tube, DM | Adult       | 26 - 35 cm | 20/Box |
| DT2635MQ-20 | Double tube, MQ | Adult       | 26 - 35 cm | 20/Box |
| DT2938MQ-05 | Double tube, MQ | Adult Long  | 29 - 38 cm | 5/Bag  |
| DT3242MQ-20 | Double tube, MQ | Large Adult | 32 - 42 cm | 20/Box |



Threaded Screw



Female  
Twist Lock



|             |                 |       |            |       |
|-------------|-----------------|-------|------------|-------|
| DT2635MB-05 | Double tube, MB | Adult | 26 - 35 cm | 5/Box |
|-------------|-----------------|-------|------------|-------|






|           |                         |            |            |       |
|-----------|-------------------------|------------|------------|-------|
| DT2938-05 | Double tube, no fitting | Adult Long | 29 - 38 cm | 5/Bag |
|-----------|-------------------------|------------|------------|-------|

Indicates discontinued part, available while supplies last

### SoftCheck® Vinyl Disposable

SoftCheck vinyl cuffs provide an economical and patient friendly solution for your NIBP measurement needs. SoftCheck cuffs feature a soft vinyl construction which is comfortable, cleanable, and is durable for long patient stays. The single patient - multiple use application offers a cost effective solution for infection control. Available in 8 sizes, SoftCheck cuffs provide a wide range of options for correct readings.



|   | Order Code      | Description     | Size             | Range/<br>Length | Qty    |
|---|-----------------|-----------------|------------------|------------------|--------|
| <b>Single Tube</b>  |                 |                 |                  |                  |        |
| <br>Plastic Bayonet                      | VST0814HP-05    | Single tube, HP | Infant           | 8 - 14 cm        | 5/Bag  |
|   | VST1320HP-05    | Single tube, HP | Child            | 13 - 20 cm       | 5/Bag  |
|   | VST1826HP-05    | Single tube, HP | Small Adult      | 18 - 26 cm       | 5/Bag  |
|   | VST2635HP-05    | Single tube, HP | Adult            | 26 - 35 cm       | 5/Bag  |
|   | VST2635HP-20    | Single tube, HP | Adult            | 26 - 35 cm       | 20/Box |
|   | VST2938HP-05    | Single tube, HP | Adult Long       | 29 - 38 cm       | 5/Bag  |
|   | VST3242HP-05    | Single tube, HP | Large Adult      | 32 - 42 cm       | 5/Bag  |
|   | VST3544HP-05    | Single tube, HP | Large Adult Long | 35 - 44 cm       | 5/Bag  |
|   | VST4250HP-05    | Single tube, HP | Thigh            | 42 - 50 cm       | 5/Bag  |
| <br>Subminiature<br>Twist Lock         | VST0814MQ-05    | Single tube, MQ | Infant           | 8 - 14 cm        | 5/Bag  |
|   | VST1320MQ-05    | Single tube, MQ | Child            | 13 - 20 cm       | 5/Bag  |
|   | VST1826MQ-05    | Single tube, MQ | Small Adult      | 18 - 26 cm       | 5/Bag  |
|   | VST2635MQ-20    | Single tube, MQ | Adult            | 26 - 35 cm       | 20/Box |
|   | VST3242MQ-05    | Single tube, MQ | Large Adult      | 32 - 42 cm       | 5/Bag  |
|   | VST4250MQ-05    | Single tube, MQ | Thigh            | 42 - 50 cm       | 5/Bag  |
| <br>Male<br>Subminiature<br>Twist Lock | VST0814MQML5-20 | Single tube, MQ | Infant           | 8 - 14 cm        | 5/Bag  |
|   | VST1320MQML5-20 | Single tube, MQ | Child            | 13 - 20 cm       | 5/Bag  |
|   | VST1826MQML5-20 | Single tube, MQ | Small Adult      | 18 - 26 cm       | 5/Bag  |
|   | VST2635MQML5-20 | Single tube, MQ | Adult            | 26 - 35 cm       | 5/Bag  |
|   | VST2938MQML5-20 | Single tube, MQ | Adult Long       | 29 - 38 cm       | 20/Box |
|   | VST3544MQML5-20 | Single tube, MQ | Large Adult Long | 35 - 44 cm       | 5/Bag  |

Indicates discontinued part, available while supplies last

### UltraCheck® Curve Nylon Reusable SoftCheck® Curve Fabric Disposable

Your patients come in all shapes and sizes. That's why we offer the Curve cuff for extra-large adults. Its conical-shaped design provides a better fit for the contours of your patient's arm. This can increase patient comfort while providing a more accurate reading.



| Order Code | Description | Size | Range/<br>Length | Qty |
|------------|-------------|------|------------------|-----|
|------------|-------------|------|------------------|-----|

#### UltraCheck Curve Nylon Reusable BP Cuff

##### Single Tube

|             |                          |                   |            |        |
|-------------|--------------------------|-------------------|------------|--------|
| BRUS3854    | Single tube, no fitting  | Extra Large Adult | 38 - 54 cm | 1 Each |
| BRUS3854HP  | Single tube, plastic HP  | Extra Large Adult | 38 - 54 cm | 1 Each |
| BRUS3854MHP | Single tube, metal HP    | Extra Large Adult | 38 - 54 cm | 1 Each |
| BRUS3854MB  | Single tube, manual bulb | Extra Large Adult | 38 - 54 cm | 1 Each |

##### Double Tube

|              |                          |                   |            |        |
|--------------|--------------------------|-------------------|------------|--------|
| BRUD3854     | Double tube, no fitting  | Extra Large Adult | 38 - 54 cm | 1 Each |
| BRUD3854DM   | Double tube, DM          | Extra Large Adult | 38 - 54 cm | 1 Each |
| BRUD3854MQ   | Double tube, MQ          | Extra Large Adult | 38 - 54 cm | 1 Each |
| BRUD3854MQMF | Double tube, MQMF        | Extra Large Adult | 38 - 54 cm | 1 Each |
| BRUD3854MQML | Double tube, MQML        | Extra Large Adult | 38 - 54 cm | 1 Each |
| BRUD3854MB   | Double tube, manual bulb | Extra Large Adult | 38 - 54 cm | 1 Each |

#### SoftCheck Curve Fabric Disposable BP Cuff

##### Single Tube

|               |                         |                   |            |       |
|---------------|-------------------------|-------------------|------------|-------|
| BRST3854-05   | Single tube, no fitting | Extra Large Adult | 38 - 54 cm | 5/Box |
| BRST3854HP-05 | Single tube, plastic HP | Extra Large Adult | 38 - 54 cm | 5/Box |

##### Double Tube

|               |                 |                   |            |       |
|---------------|-----------------|-------------------|------------|-------|
| BRDT3854DM-05 | Double tube, DM | Extra Large Adult | 38 - 54 cm | 5/Box |
|---------------|-----------------|-------------------|------------|-------|

Indicates discontinued part, available while supplies last



Plastic Bayonet  
(HP)



Metal Bayonet  
(HP)



Female Screw  
Threaded (DM)



Female Locking  
(MQ)



Male Locking  
(MQML)



Mated Locking  
(MQMF)



Manual Bulb  
w/Gauge  
(MB)

### SoftCheck® Fabric Neonatal Disposable

SoftCheck fabric cuffs provide an economical and patient friendly solution for your NIBP measurement needs. SoftCheck cuffs feature a super-soft Sontara fabric which is comfortable, helps reduce perspiration under the cuff, and is durable for long patient stays. The single patient - multiple use application offers a cost effective solution for infection control. Available in 5 different sizes for accurate readings.



| Order Code | Description | Size | Range/<br>Length | Qty |
|------------|-------------|------|------------------|-----|
|------------|-------------|------|------------------|-----|

#### SoftCheck Fabric Neonatal Disposable BP Cuffs



Micro-taper  
slip-fit



Male Luer



Plastic Bayonet

#### Single Tube

|               |                   |        |         |        |
|---------------|-------------------|--------|---------|--------|
| NN1ST-M316-10 | Single tube, M316 | Size 1 | 3-6 cm  | 10/Box |
| NN2ST-M316-10 | Single tube, M316 | Size 2 | 4-8 cm  | 10/Box |
| NN3ST-M316-10 | Single tube, M316 | Size 3 | 6-11 cm | 10/Box |
| NN4ST-M316-10 | Single tube, M316 | Size 4 | 7-13 cm | 10/Box |
| NN5ST-M316-10 | Single tube, M316 | Size 5 | 8-15 cm | 10/Box |
| NN1ST-10      | Single tube, ML   | Size 1 | 3-6 cm  | 10/Box |
| NN2ST-10      | Single tube, ML   | Size 2 | 4-8 cm  | 10/Box |
| NN3ST-10      | Single tube, ML   | Size 3 | 6-11 cm | 10/Box |
| NN4ST-10      | Single tube, ML   | Size 4 | 7-13 cm | 10/Box |
| NN5ST-10      | Single tube, ML   | Size 5 | 8-15 cm | 10/Box |
| NN1ST-HP-10   | Single tube, HP   | Size 1 | 3-6 cm  | 10/Box |
| NN2ST-HP-10   | Single tube, HP   | Size 2 | 4-8 cm  | 10/Box |
| NN3ST-HP-10   | Single tube, HP   | Size 3 | 6-11 cm | 10/Box |
| NN5ST-HP-10   | Single tube, HP   | Size 5 | 8-15 cm | 10/Box |

Indicates discontinued part, available while supplies last

#### Double Tube

|          |                 |        |         |        |
|----------|-----------------|--------|---------|--------|
| NN1DT-10 | Double tube, ML | Size 1 | 3-6 cm  | 10/Box |
| NN2DT-10 | Double tube, ML | Size 2 | 4-8 cm  | 10/Box |
| NN3DT-10 | Double tube, ML | Size 3 | 6-11 cm | 10/Box |
| NN4DT-10 | Double tube, ML | Size 4 | 7-13 cm | 10/Box |
| NN5DT-10 | Double tube, ML | Size 5 | 8-15 cm | 10/Box |



Male Luer

### SoftCheck® Vinyl Neonatal Disposable

SoftCheck vinyl cuffs provide an economical and patient friendly solution for your NIBP measurement needs. SoftCheck cuffs feature a soft vinyl construction which is comfortable, cleanable, and is durable for long patient stays. The single patient - multiple use application offers a cost effective solution for infection control. Available in 5 different sizes for accurate readings.



| Order Code | Description | Size | Range/<br>Length | Qty |
|------------|-------------|------|------------------|-----|
|------------|-------------|------|------------------|-----|

### SoftCheck Vinyl Neonatal Disposable BP Cuffs



Micro-taper  
slip-fit

| Single Tube    |                   |        |         |        |  |
|----------------|-------------------|--------|---------|--------|--|
| VNN1ST-M316-10 | Single tube, M316 | Size 1 | 3-6 cm  | 10/Box |  |
| VNN2ST-M316-10 | Single tube, M316 | Size 2 | 4-8 cm  | 10/Box |  |
| VNN3ST-M316-10 | Single tube, M316 | Size 3 | 6-11 cm | 10/Box |  |
| VNN4ST-M316-10 | Single tube, M316 | Size 4 | 7-13 cm | 10/Box |  |
| VNN5ST-M316-10 | Single tube, M316 | Size 5 | 8-15 cm | 10/Box |  |



SnapQuik

|              |                 |        |         |        |  |
|--------------|-----------------|--------|---------|--------|--|
| VNN1ST-SQ-10 | Single tube, SQ | Size 1 | 3-6 cm  | 10/Box |  |
| VNN2ST-SQ-10 | Single tube, SQ | Size 2 | 4-8 cm  | 10/Box |  |
| VNN3ST-SQ-10 | Single tube, SQ | Size 3 | 6-11 cm | 10/Box |  |
| VNN4ST-SQ-10 | Single tube, SQ | Size 4 | 7-13 cm | 10/Box |  |
| VNN5ST-SQ-10 | Single tube, SQ | Size 5 | 8-15 cm | 10/Box |  |



Male Luer

|           |                 |        |         |        |  |
|-----------|-----------------|--------|---------|--------|--|
| VNN1ST-10 | Single tube, ML | Size 1 | 3-6 cm  | 10/Box |  |
| VNN2ST-10 | Single tube, ML | Size 2 | 4-8 cm  | 10/Box |  |
| VNN3ST-10 | Single tube, ML | Size 3 | 6-11 cm | 10/Box |  |
| VNN4ST-10 | Single tube, ML | Size 4 | 7-13 cm | 10/Box |  |
| VNN5ST-10 | Single tube, ML | Size 5 | 8-15 cm | 10/Box |  |



Plastic Bayonet

|              |                 |        |         |        |  |
|--------------|-----------------|--------|---------|--------|--|
| VNN1ST-HP-10 | Single tube, HP | Size 1 | 3-6 cm  | 10/Box |  |
| VNN5ST-HP-10 | Single tube, HP | Size 5 | 8-15 cm | 10/Box |  |



Female  
Twist Lock

|              |                 |        |         |        |  |
|--------------|-----------------|--------|---------|--------|--|
| VNN1ST-MQ-10 | Single tube, MQ | Size 1 | 3-6 cm  | 10/Box |  |
| VNN2ST-MQ-10 | Single tube, MQ | Size 2 | 4-8 cm  | 10/Box |  |
| VNN3ST-MQ-10 | Single tube, MQ | Size 3 | 6-11 cm | 10/Box |  |
| VNN4ST-MQ-10 | Single tube, MQ | Size 4 | 7-13 cm | 10/Box |  |
| VNN5ST-MQ-10 | Single tube, MQ | Size 5 | 8-15 cm | 10/Box |  |

Indicates discontinued part, available while supplies last

### SoftCheck® Vinyl Neonatal Disposable

SoftCheck vinyl cuffs provide an economical and patient friendly solution for your NIBP measurement needs. SoftCheck cuffs feature a soft vinyl construction which is comfortable, cleanable, and is durable for long patient stays. The single patient - multiple use application offers a cost effective solution for infection control. Available in 5 different sizes for accurate readings.



| Order Code         | Description     | Size   | Range/<br>Length | Qty    |
|--------------------|-----------------|--------|------------------|--------|
| <b>Double Tube</b> |                 |        |                  |        |
| VNN1DT-10          | Double tube, ML | Size 1 | 3-6 cm           | 10/Box |
| VNN2DT-10          | Double tube, ML | Size 2 | 4-8 cm           | 10/Box |
| VNN3DT-10          | Double tube, ML | Size 3 | 6-11 cm          | 10/Box |
| VNN4DT-10          | Double tube, ML | Size 4 | 7-13 cm          | 10/Box |
| VNN5DT-10          | Double tube, ML | Size 5 | 8-15 cm          | 10/Box |



Male Luer

## SUPPLIES & ACCESSORIES








### PRESSURE INFUSORS



## Unifusor® Pressure Infusors

Unifusor Pressure Infusors are available in 3 Models: Unifusor Disposable, Unifusor II & Unifusor Plus Reusable. All models are available in 500, 1000 and 3,000 mL sizes. The Unifusors are 100% tested for leakage during the manufacturing process. Unifusor pressure Infusors include an IV pole loop, a fluid bag hood and a reinforced translucent sleeve which enables easy viewing of fluid type and level. This unit is designed for rapid IV infusion, invasive pressure monitoring and auto-transfusion procedures.



|  | Order Code | Description                                     | Size   | Qty    |
|--|------------|---|--------|--------|
| <b>Unifusor Disposable Pressure Infusor</b>  |            |   |        |        |
| <b>Single Patient Use Infusor with aneroid gauge - sold as one piece/complete unit</b> |            |   |        |        |
|       | 803FGA-24  | Unifusor with thumbwheel valve & aneroid gauge  | 500mL  | 24/Box |
|  | 804FGA-24  | Unifusor with thumbwheel valve & aneroid gauge  | 1000mL | 24/Box |
|  | 805FGA-10  | Unifusor with thumbwheel valve & aneroid gauge  | 3000mL | 10/Box |
|       | 803SGA-24  | Unifusor with stopcock valve & aneroid gauge    | 500mL  | 24/Box |
|  | 804SGA-24  | Unifusor with stopcock valve & aneroid gauge    | 1000mL | 24/Box |
|  | 805SGA-10  | Unifusor with stopcock valve & aneroid gauge    | 3000mL | 10/Box |
| <b>Disposable Infusor with piston gauge - sold as one piece/complete unit</b>          |            |   |        |        |
|     | 903TGA-24  | Unifusor with thumbwheel valve & piston gauge   | 500mL  | 24/Box |
|  | 904TGA-24  | Unifusor with thumbwheel valve & piston gauge   | 1000mL | 24/Box |
|  | 905TGA-10  | Unifusor with thumbwheel valve & piston gauge   | 3000mL | 10/Box |
|     | 903SGA-24  | Unifusor with stopcock valve & piston gauge     | 500mL  | 24/Box |
|  | 904SGA-24  | Unifusor with stopcock valve & piston gauge     | 1000mL | 24/Box |
|  | 905SGA-10  | Unifusor with stopcock valve & piston gauge     | 3000mL | 10/Box |
| Indicates discontinued part, available while supplies last                             |            |   |        |        |
| <b>Unifusor II Disposable Pressure Infusor with Reusable Inflation System</b>          |            |   |        |        |
| <b>Disposable Infusor - white Disposable bag with reusable inflation system</b>        |            |   |        |        |
|     | 2803SGA-24 | Unifusor II with aneroid gauge & stopcock valve | 500mL  | 24/Box |
|  | 2804SGA-24 | Unifusor II with aneroid gauge & stopcock valve | 1000mL | 24/Box |
|  | 2805SGA-10 | Unifusor II with aneroid gauge & stopcock valve | 3000mL | 10/Box |
|     | 2903SGA-24 | Unifusor II with piston gauge & stopcock valve  | 500mL  | 24/Box |
|  | 2904SGA-24 | Unifusor II with piston gauge & stopcock valve  | 1000mL | 24/Box |
|  | 2905SGA-10 | Unifusor II with piston gauge & stopcock valve  | 3000mL | 10/Box |
| <b>Disposable Replacement Parts</b>  |            |   |        |        |
|     | 2803X-24   | Unifusor II Disposable white infusion bag       | 500mL  | 24/Box |
|  | 2804X-24   | Unifusor II Disposable white infusion bag       | 1000mL | 24/Box |
|  | 2805X-10   | Unifusor II Disposable white infusion bag       | 500mL  | 10/Box |

## Unifusor® Pressure Infusors

Unifusor Pressure Infusors are available in 3 Models: Unifusor Disposable, Unifusor II & Unifusor Plus Reusable. All models are available in 500, 1000 and 3,000 mL sizes. The Unifusors are 100% tested for leakage during the manufacturing process. Unifusor pressure Infusors include an IV pole loop, a fluid bag hood and a reinforced translucent sleeve which enables easy viewing of fluid type and level. This unit is designed for rapid IV infusion, invasive pressure monitoring and auto-transfusion procedures.



| Order Code | Description | Size | Qty |
|------------|-------------|------|-----|
|------------|-------------|------|-----|

### Unifusor Plus Reusable Pressure Infusor

#### Reusable Infusor - blue bag with white hose



|            |   |        |        |
|------------|---|--------|--------|
| 1103SGA-24 | Unifusor Plus with aneroid gauge & stopcock valve | 500mL  | 24/Box |
| 1104SGA-24 | Unifusor Plus with aneroid gauge & stopcock valve | 1000mL | 24/Box |
| 1105SGA-10 | Unifusor Plus with aneroid gauge & stopcock valve | 3000mL | 10/Box |



|            |  |        |        |
|------------|--|--------|--------|
| 1113SGA-24 | Unifusor Plus with piston gauge & stopcock valve | 500mL  | 24/Box |
| 1114SGA-24 | Unifusor Plus with piston gauge & stopcock valve | 1000mL | 24/Box |

#### Reusable replacement parts



|           |   |        |       |
|-----------|---|--------|-------|
| 1103XB-05 | Unifusor Plus blue reusable bag with white hose | 500mL  | 5/Box |
| 1104XB-05 | Unifusor Plus blue reusable bag with white hose | 1000mL | 5/Box |
| 1105XB-05 | Unifusor Plus blue reusable bag with white hose | 3000mL | 5/Box |

Indicates discontinued part, available while supplies last

### Unifusor Plus Reusable Pressure Infusor



#### Reusable Infusor - blue bag with black hose

|      |   |        |        |
|------|---|--------|--------|
| 1103 | Unifusor Plus with trigger / gauge assembly | 500mL  | 1 Each |
| 1104 | Unifusor Plus with trigger / gauge assembly | 1000mL | 1 Each |
| 1105 | Unifusor Plus with trigger / gauge assembly | 3000mL | 1 Each |

#### Reusable replacement parts

|       |   |        |        |
|-------|---|--------|--------|
| 1103X | Unifusor Plus blue reusable bag with black hose | 500mL  | 1 Each |
| 1104X | Unifusor Plus blue reusable bag with black hose | 1000mL | 1 Each |
| 1105X | Unifusor Plus blue reusable bag with black hose | 3000mL | 1 Each |

|      |                              |  |        |
|------|------------------------------|--|--------|
| 1199 | Trigger/ gauge assembly only |  | 1 Each |
|------|------------------------------|--|--------|



# SUPPLIES & ACCESSORIES

## ELECTROCARDIOGRAPHY





### AAMI Color Coding



### ECG Combiner Lead Wires & Cables

Our ECG Combiner System of lead wires, cables and adapters allows you to standardize ECG supplies across monitoring brands. The system features a universal connection between cables and lead wires which allows a quick connect/disconnect between monitors and telemetry, and single patient multiple use lead wire options. System is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



|   | Order Code                                   | Description     |       | Length       | Qty     |
|---|--|-----------------|-------|--------------|---------|
| <b>ECG Combiner Lead Wire Sets - requires ECG Combiner Cable or Adapter</b>         |  |                 |       |              |         |
|    | <b>Disposable, DIN Shielded, Pinch, AAMI</b> |                 |       |              |         |
|   | 700-0006-50                                  | 3-Lead          | Pinch | 127cm /50 in | 25 Sets |
|   | * 700-0006-32                                | 5 Lead          | Pinch | 127cm /50 in | 25 Sets |
|   | * 700-0006-33                                | 5 Lead (V-Lead) | Pinch | 127cm /50 in | 25 Sets |
|    | <b>Disposable, DIN Shielded, Snap, AAMI</b>  |                 |       |              |         |
|   | 700-0006-60                                  | 3-Lead          | Snap  | 127cm /50 in | 25 Sets |
|   | 700-0006-61                                  | 5 Lead          | Snap  | 127cm /50 in | 25 Sets |
|   | <b>Reusable, DIN Shielded, Pinch, AAMI</b>   |                 |       |              |         |
|   | * 700-0006-35                                | 3 Lead          | Pinch | 74cm /29 in  | 1 Set   |
|   | * 700-0006-37                                | 5 Lead          | Pinch | 74cm /29 in  | 1 Set   |
|   | * 700-0006-38                                | 5 Lead (V-Lead) | Pinch | 74cm /29 in  | 1 Set   |
|   | 700-0010-00                                  | 3 Lead          | Pinch | 130cm/51 in  | 1 Set   |
|   | * 700-0010-01                                | 5 Lead          | Pinch | 130cm/51 in  | 1 Set   |
|  | 700-0010-02                                  | 5 Lead (V-Lead) | Pinch | 130cm/51 in  | 1 Set   |
|   | <b>Reusable, DIN Shielded, Snap, AAMI</b>    |                 |       |              |         |
|   | * 700-0007-35                                | 3 Lead          | Snap  | 74cm /29 in  | 1 Set   |
|   | * 700-0007-37                                | 5 Lead          | Snap  | 74cm /29 in  | 1 Set   |
|   | 700-0010-18                                  | 3-Lead          | Snap  | 130cm /51 in | 1 Set   |
|   | 700-0010-19                                  | 5-Lead          | Snap  | 130cm /51 in | 1 Set   |

\* Product not available for sale into CE Mark Countries (EU)

### ECG Combiner Radiolucent Lead Wire Sets - requires ECG Combiner Cable or Adapter



|  | <b>Radiolucent, Reusable, DIN Unshielded, Pinch, AAMI</b> |                     |       |             |       |
|--|---|---------------------|-------|-------------|-------|
|  | 700-0010-07   | 3 Lead, Radiolucent | Pinch | 183cm/72 in | 1 Set |
|  | 700-0010-06   | 5 Lead, Radiolucent | Pinch | 122cm/48 in | 1 Set |
|  | 700-0010-08   | 5 Lead, Radiolucent | Pinch | 183cm/72 in | 1 Set |

### ECG Combiner Lead Wires & Cables

Our ECG Combiner System of lead wires, cables and adapters allows you to standardize ECG supplies across monitoring brands. The system features a universal connection between cables and lead wires which allows a quick connect/disconnect between monitors and telemetry, and single patient multiple use lead wire options. System is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



| Order Code | Description | Length | Qty |
|------------|-------------|--------|-----|
|------------|-------------|--------|-----|

#### ECG Combiner Cables



#### Spacelabs Connect Hardwired Cables for use with Spacelabs command module 90496/91496

|               |               |           |              |         |
|---------------|---------------|-----------|--------------|---------|
| * 700-0008-55 | 3 Lead        | Spacelabs | 305 cm/10 ft | 1 Cable |
| * 700-0008-57 | 5 Lead        | Spacelabs | 305 cm/10 ft | 1 Cable |
| 700-0008-32   | 5 Lead        | Spacelabs | 457 cm/15 ft | 1 Cable |
| * 700-0008-56 | 10 Lead (5+5) | Spacelabs | 305 cm/10 ft | 1 Cable |

\* Product not available for sale into CE Mark Countries (EU)

#### ECG Combiner Adapters



#### Spacelabs Telemetry, AAMI

|             |        |  |           |
|-------------|--------|--|-----------|
| 700-0008-79 | 5 Lead | Adapter allows use of combiner leadwires with SL 700-0008-00 cable | 1 Adapter |
| 700-0008-80 | 5 Lead | Ultraview Telemetry (9034X/ 9134X)                                 | 1 Adapter |
| 700-0008-88 | 5 Lead | Aria Telemetry (96281)   | 1 Adapter |

#### ECG Combiner Cables for Standardization



#### Other manufacturers

|             |               |         |              |         |
|-------------|---------------|---------|--------------|---------|
| 700-0008-37 | 5 Lead        | GE      | 305 cm/10 ft | 1 Cable |
| 700-0008-48 | 10 Lead (5+5) | Philips | 305 cm/10 ft | 1 Cable |
| 700-0008-49 | 5 Lead        | Philips | 305 cm/10 ft | 1 Cable |

Indicates discontinued part, available while supplies last

### ECG Lead Wire & Cables - Shielded

TruLink ECG lead wires are designed and validated for use with Spacelabs monitoring systems. Ten foot reusable monitor cables are available in 3, 5, or 10 lead configurations. The reusable shielded TruLink lead wires feature individual color-coded leads with a 2-prong connection into the monitor cable. They are available in a variety of lengths with either a snap or pinch electrode interface. For use with Spacelabs command modules 90496/91496.



Shielded Lead Wire



91496

| Order Code | Description | Length/Size | Qty |
|------------|-------------|-------------|-----|
|------------|-------------|-------------|-----|

#### ECG Lead Wire Sets, Shielded, Reusable, AAMI



Snap

##### Snap Sets

|             |                               |              |       |
|-------------|-------------------------------|--------------|-------|
| 700-0007-00 | 3 Lead, Shielded              | 61 cm/24 in  | 1 Set |
| 700-0007-02 | 3 Lead, Shielded              | 102 cm/40 in | 1 Set |
| 700-0007-08 | 5 Lead, Shielded              | 61 cm/24 in  | 1 Set |
| 700-0007-10 | 5 Lead, Shielded              | 102 cm/40 in | 1 Set |
| 700-0007-16 | 10 Lead, limb/chest, Shielded | 61 cm/24 in  | 1 Set |
| 700-0007-18 | 10 Lead, limb/chest, Shielded | 102 cm/40 in | 1 Set |



Pinch

##### Pinch Sets

|             |                               |              |       |
|-------------|-------------------------------|--------------|-------|
| 700-0006-00 | 3 Lead, Shielded              | 61 cm/24 in  | 1 Set |
| 700-0006-02 | 3 Lead, Shielded              | 102 cm/40 in | 1 Set |
| 700-0006-08 | 5 Lead, Shielded              | 61 cm/24 in  | 1 Set |
| 700-0006-10 | 5 Lead, Shielded              | 102 cm/40 in | 1 Set |
| 700-0006-16 | 10 Lead, limb/chest, Shielded | 61 cm/24 in  | 1 Set |

#### ECG Lead Wires, Individual Colors, Shielded, Reusable, AAMI



##### 24" Snap Individual Color

|             |       |              |        |
|-------------|-------|--------------|--------|
| 012-0498-00 | Red   | 61 cm/24 in  | 3/Pack |
| 012-0498-04 | Black | 61 cm/24 in  | 3/Pack |
| 012-0498-34 | Black | 61 cm/24 in  | 5/Pack |
| 012-0498-05 | Brown | 61 cm/24 in  | 3/Pack |
| 012-0498-03 | White | 61 cm/24 in  | 3/Pack |
| 012-0498-01 | Green | 61 cm/24 in  | 3/Pack |
| 012-0498-06 | Red   | 102 cm/40 in | 3/Pack |
| 012-0498-09 | Black | 102 cm/40 in | 3/Pack |
| 012-0498-27 | Brown | 102 cm/40 in | 3/Pack |
| 012-0498-08 | White | 102 cm/40 in | 3/Pack |
| 012-0498-07 | Green | 102 cm/40 in | 3/Pack |

Indicates discontinued part, available while supplies last

## ECG Lead Wire & Cables - Shielded

TruLink ECG lead wires are designed and validated for use with Spacelabs monitoring systems. Ten foot reusable monitor cables are available in 3, 5, or 10 lead configurations. The reusable shielded TruLink lead wires feature individual color-coded leads with a 2-prong connection into the monitor cable. They are available in a variety of lengths with either a snap or pinch electrode interface. For use with Spacelabs command modules 90496/91496.



Shielded  
Lead Wire



91496

| Order Code | Description | Length/Size | Qty |
|------------|-------------|-------------|-----|
|------------|-------------|-------------|-----|

### ECG Cables, Shielded, AAMI



#### With 17 PIN Adapter

|             |                   |              |         |
|-------------|-------------------|--------------|---------|
| 700-0008-08 | 3 Lead, Shielded  | 305 cm/10 ft | 1 Cable |
| 700-0008-06 | 5 Lead, Shielded  | 305 cm/10 ft | 1 Cable |
| 700-0008-00 | 10 Lead, Shielded | 305 cm/10 ft | 1 Cable |

### ECG Accessories



#### Electrodes

|             |  |       |        |
|-------------|--|-------|--------|
| 690-0289-00 | ECG electrode, transparent tape, adult, single use                 | Adult | 30/Box |
| 690-0262-00 | ECG electrode, transparent tape, general/stress, adult, single use | Adult | 30/Box |

Indicates discontinued part, available while supplies last

### Neonatal ECG Supplies & Accessories



#### DIN Unshielded, Neonatal ECG Cable

|             |        |          |         |
|-------------|--------|----------|---------|
| 700-0008-12 | 3 Lead | Neonatal | 1 Cable |
|-------------|--------|----------|---------|

#### DIN Unshielded, Neonatal Electrodes. 717-0080-00 will replace 685-0037-00 when stock is depleted

|             |   |  |                           |
|-------------|---|--|---------------------------|
| 685-0037-00 | Pre-wired neonatal electrodes, Pre-gelled, silver/silver chloride, single use | <b>Not available for sale in EU countries or those requiring a CE-Mark</b> | 3-Lead<br>100<br>Sets/Box |
| 717-0080-00 | Pre-wired neonatal electrodes, Pre-gelled, silver/silver chloride, single use | <b>Available for sale in EU countries or those requiring a CE-Mark</b>     | 3-Lead<br>100<br>Sets/Box |



#### Electrode

|             |   |         |        |
|-------------|---|---------|--------|
| 690-0290-00 | ECG electrode, transparent tape, pediatric/neonatal, single use | Ped/Neo | 30/Box |
|-------------|---|---------|--------|

### DIN Unshielded Leadwire & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



DIN Un-Shielded

| Order Code | Description | Length/Size | Qty |
|------------|-------------|-------------|-----|
|------------|-------------|-------------|-----|

#### ECG Lead Wire Sets, DIN Unshielded, Reusable, AAMI



Snap

##### Snap Sets

|             |        |               |       |
|-------------|--------|---------------|-------|
| 012-0283-11 | 3 Lead | 61 cm/24 in   | 1 Set |
| 012-0285-11 | 5 Lead | 61 cm/24 in   | 1 Set |
| 012-0605-10 | 5 Lead | 64 cm/25.2 in | 1 Set |



Pinch

##### Pinch Sets

|             |        |             |       |
|-------------|--------|-------------|-------|
| 012-0284-11 | 3 Lead | 61 cm/24 in | 1 Set |
| 012-0286-11 | 5 Lead | 61 cm/24 in | 1 Set |

#### ECG Lead Wires, Individual Colors, DIN Unshielded, Reusable, AAMI



Snap

##### Snap Individual Color

|             |       |             |        |
|-------------|-------|-------------|--------|
| 012-0295-06 | Red   | 61 cm/24 in | 3/Pack |
| 012-0295-26 | Black | 61 cm/24 in | 3/Pack |
| 012-0295-46 | Brown | 61 cm/24 in | 3/Pack |
| 012-0295-16 | White | 61 cm/24 in | 3/Pack |
| 012-0295-36 | Green | 61 cm/24 in | 3/Pack |

#### ECG Lead Wires, Individual Colors, DIN Unshielded, Reusable, AAMI



Pinch

##### Pinch Individual Color

|             |       |             |        |
|-------------|-------|-------------|--------|
| 012-0296-04 | Red   | 61 cm/24 in | 3/Pack |
| 012-0296-14 | White | 61 cm/24 in | 3/Pack |
| 012-0296-24 | Black | 61 cm/24 in | 3/Pack |
| 012-0296-34 | Green | 61 cm/24 in | 3/Pack |
| 012-0296-44 | Brown | 61 cm/24 in | 3/Pack |

### DIN Unshielded Leadwire & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



DIN Un-Shielded



| Order Code | Description | Length/Size | Qty |
|------------|-------------|-------------|-----|
|------------|-------------|-------------|-----|

#### Telemetry Transmitter Adapters

##### For use with ECG Combiner Lead Wires



|             |   |  |           |
|-------------|---|--|-----------|
| 700-0008-88 | Aria Telemetry Combiner Adapter (96281) |  | 1 Adapter |
|-------------|---|--|-----------|

##### For use with DIN Unshielded Lead Wires



|             |                                |  |       |
|-------------|--------------------------------|--|-------|
| 706-0191-00 | Aria Telemetry Grouper (96281) |  | 5/Bag |
|-------------|--------------------------------|--|-------|

#### Telemetry Accessories

##### Disposable Pouches and Electrodes



|             |                                   |  |         |
|-------------|-----------------------------------|--|---------|
| 015-0500-02 | Ultraview Telemetry pouch (90347) |  | 100/Box |
|-------------|-----------------------------------|--|---------|



|             |  |       |        |
|-------------|--|-------|--------|
| 690-0289-00 | ECG electrode, transparent tape, adult, single use | Adult | 30/Box |
|-------------|--|-------|--------|



|             |   |       |        |
|-------------|---|-------|--------|
| 690-0262-00 | ECG transparent electrode, general/stress | Adult | 30/Box |
|-------------|---|-------|--------|

### DIN Unshielded Leadwire & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



DIN Un-Shielded



| Order Code | Description | Length/Size | Qty |
|------------|-------------|-------------|-----|
|------------|-------------|-------------|-----|

### SpO<sub>2</sub> Cable & Sensors

Note: Only the below genuine Spacelabs and Nellcor branded SpO<sub>2</sub> sensors are compatible with Spacelabs Telemetry systems

#### SpO<sub>2</sub> Cable



|             |  |             |         |
|-------------|--|-------------|---------|
| 700-0014-00 | TruLink SpO2 Sensor Adapter Cable Compatible with SL multi-parameter telemetry transmitters (90343/91343/96281) and TruLink SpO2 sensors | 60 cm/24 in | 1 Cable |
|-------------|--|-------------|---------|

#### Reusable SpO<sub>2</sub> Sensors



|             |  |                         |        |
|-------------|--|-------------------------|--------|
| 015-0660-00 | TruLink SpO <sub>2</sub> finger sensor   | Adult<br>>30 kg/66 lbs. | 1 Each |
| 690-0003-01 | Nellcor DS-100A, finger SpO2 sensor<br><i>Available for sale with monitor purchase</i> | Adult<br>>30 kg/66 lbs. | 1 Each |

#### Disposable SpO<sub>2</sub> Sensors



|             |                                      |                          |        |
|-------------|--------------------------------------|--------------------------|--------|
| 015-0662-00 | TruLink SpO <sub>2</sub> foam sensor | Adult<br>> 30 kg/66 lbs. | 24/Box |
|-------------|--------------------------------------|--------------------------|--------|



|             |                                       |                         |        |
|-------------|---------------------------------------|-------------------------|--------|
| 015-0663-00 | TruLink SpO <sub>2</sub> vinyl sensor | Adult<br>>30 kg/66 lbs. | 24/Box |
|-------------|---------------------------------------|-------------------------|--------|



|             |                                      |                                       |        |
|-------------|--------------------------------------|---------------------------------------|--------|
| 015-0664-00 | TruLink SpO <sub>2</sub> foam sensor | Pediatric<br>10-50 kg/<br>22-110 lbs. | 24/Box |
|-------------|--------------------------------------|---------------------------------------|--------|



|             |                                       |                                       |        |
|-------------|---------------------------------------|---------------------------------------|--------|
| 015-0665-00 | TruLink SpO <sub>2</sub> vinyl sensor | Pediatric<br>10-50 kg/<br>22-110 lbs. | 24/Box |
|-------------|---------------------------------------|---------------------------------------|--------|



|             |                                       |                          |        |
|-------------|---------------------------------------|--------------------------|--------|
| 015-0667-00 | TruLink SpO <sub>2</sub> cloth sensor | Neonatal<br><3 kg/7 lbs. | 24/Box |
|-------------|---------------------------------------|--------------------------|--------|

Indicates discontinued part, available while supplies last

# SUPPLIES & ACCESSORIES

## ELECTROCARDIOGRAPHY

### IEC Color Coding



### ECG Combiner Lead Wires & Cables

Hospitals are equipped with numerous monitors and other devices that use ECG lead wires, each with their own unique connectors which complicates patient transfers, undermines efficiency, and makes purchasing and maintenance more complex. Our ECG combiner lead wire system can standardize most equipment to one lead wire. The reusable or disposable lead wire sets are available in a variety of leads and lengths with either a snap or a multi-pin electrode interface. Validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry systems.



| Order Code | Description | Length | Qty |
|------------|-------------|--------|-----|
|------------|-------------|--------|-----|

#### ECG Combiner Lead Wire Sets - requires ECG Combiner Cable or Adapter



Multi-pin

##### Disposable, DIN Shielded, Multi-Pinch, IEC

|             |                 |             |              |         |
|-------------|-----------------|-------------|--------------|---------|
| 700-0006-44 | 5 Lead          | Multi-Pinch | 127cm /50 in | 25 Sets |
| 700-0006-53 | 5 Lead (V-Lead) | Multi-Pinch | 127cm /50 in | 25 Sets |



Multi-pin

##### Reusable, DIN Shielded, Multi-Pinch, IEC

|             |                 |             |             |       |
|-------------|-----------------|-------------|-------------|-------|
| 700-0006-41 | 3 Lead          | Multi-Pinch | 74cm /29 in | 1 Set |
| 700-0006-43 | 5 Lead          | Multi-Pinch | 74cm /29 in | 1 Set |
| 700-0006-58 | 5 Lead (V-Lead) | Multi-Pinch | 74cm /29 in | 1 Set |
| 700-0010-02 | 5 Lead (V-Lead) | Multi-Pinch | 130cm/51 in | 1 Set |



Snap

##### Reusable, DIN Shielded, Snap, IEC

|             |        |      |             |       |
|-------------|--------|------|-------------|-------|
| 700-0007-41 | 3 Lead | Snap | 74cm /29 in | 1 Set |
| 700-0007-44 | 5 Lead | Snap | 74cm /29 in | 1 Set |

Indicates discontinued part, available while supplies last

#### ECG Combiner Cables

##### Spacelabs Connect Hardwired Cables for monitors using Command Module (90496/91496)



|             |               |     |              |         |
|-------------|---------------|-----|--------------|---------|
| 700-0008-81 | 3 Lead        | IEC | 305 cm/10 ft | 1 Cable |
| 700-0008-83 | 5 Lead        | IEC | 305 cm/10 ft | 1 Cable |
| 700-0008-84 | 10 Lead (5+5) | IEC | 305 cm/10 ft | 1 Cable |

### ECG Lead Wires & Cables - Shielded

IEC color coded shielded ECG lead wires and cables for use with Spacelabs Command Modules 90496 & 91496 and mCare Monitor 91220.



Shielded Lead Wire



91496

| Order Code | Description | Length | Qty |
|------------|-------------|--------|-----|
|------------|-------------|--------|-----|

#### ECG Lead Wire Sets, Shielded, Reusable, IEC



Snap

##### Snap Sets

|             |                               |              |       |
|-------------|-------------------------------|--------------|-------|
| 700-0007-01 | 3 Lead, shielded              | 61 cm/24 in  | 1 Set |
| 700-0007-03 | 3 Lead, shielded              | 102 cm/40 in | 1 Set |
| 700-0007-09 | 5 Lead, shielded              | 61 cm/24 in  | 1 Set |
| 700-0007-11 | 5 Lead, shielded              | 102 cm/40 in | 1 Set |
| 700-0007-17 | 10 Lead, limb/chest, shielded | 61 cm/24 in  | 1 Set |
| 700-0007-19 | 10 Lead, limb/chest, shielded | 102 cm/40 in | 1 Set |



Pinch

##### Pinch Sets

|             |                               |              |       |
|-------------|-------------------------------|--------------|-------|
| 700-0006-01 | 3 Lead, shielded              | 61 cm/24 in  | 1 Set |
| 700-0006-03 | 3 Lead, shielded              | 102 cm/40 in | 1 Set |
| 700-0006-09 | 5 Lead, shielded              | 61 cm/24 in  | 1 Set |
| 700-0006-11 | 5 Lead, shielded              | 102 cm/40 in | 1 Set |
| 700-0006-17 | 10 Lead, limb/chest, shielded | 61 cm/24 in  | 1 Set |
| 700-0006-19 | 10 Lead, limb/chest, shielded | 102 cm/40 in | 1 Set |

#### ECG Lead Wires, Individual Colors, Shielded, Reusable, IEC

#### ECG Cables, Shielded, IEC



##### With 17 PIN Adapter

|             |                   |              |         |
|-------------|-------------------|--------------|---------|
| 700-0008-09 | 3 Lead, shielded  | 305 cm/10 ft | 1 Cable |
| 700-0008-07 | 5 Lead, shielded  | 305 cm/10 ft | 1 Cable |
| 700-0008-01 | 10 Lead, shielded | 305 cm/10 ft | 1 Cable |

Indicates discontinued part, available while supplies last

#### ECG Accessories



##### Electrodes

|             |  |       |        |
|-------------|--|-------|--------|
| 690-0289-00 | ECG electrode, transparent tape, adult, single use | Adult | 30/Box |
| 690-0262-00 | ECG electrode, transparent tape, general/stress    | Adult | 30/Box |



### ECG Lead Wires & Cables - Shielded

IEC color coded shielded ECG lead wires and cables for use with Spacelabs Command Modules 90496 & 91496 and mCare Monitor 91220.



Shielded  
Lead Wire



91496

| Order Code | Description | Length | Qty |
|------------|-------------|--------|-----|
|------------|-------------|--------|-----|

#### Neonatal ECG Supplies & Accessories



#### DIN Unshielded, Neonatal ECG Cable

|             |        |  |         |
|-------------|--------|--|---------|
| 700-0008-13 | 3 Lead |  | 1 Cable |
|-------------|--------|--|---------|



#### DIN Unshielded, Neonatal Electrodes

|             |   |        |                 |
|-------------|---|--------|-----------------|
| 717-0080-00 | Pre-wired neonatal electrodes, pre-gelled, silver/silver chloride, CE | 3-Lead | 100<br>Sets/Box |
|-------------|---|--------|-----------------|



#### Electrode

|             |   |         |        |
|-------------|---|---------|--------|
| 690-0290-00 | ECG electrode, transparent tape, pediatric/neonatal, single use | Ped/Neo | 30/Box |
|-------------|---|---------|--------|




Indicates discontinued part, available while supplies last

### DIN Unshielded Lead Wires & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



DIN Un-Shielded

| Order Code   | Description                         | Length/Size | Qty   |
|--|-------------------------------------|-------------|-------|
| <b>ECG Lead Wire Sets, DIN Unshielded, Reusable, IEC</b>   |                                     |             |       |
|  <b>Snap Sets</b>                               |                                     |             |       |
| 012-0328-10  | 5 Lead                              | 61 cm/24 in | 1 Set |
|  <b>Pinch Sets</b>                              |                                     |             |       |
| 012-0325-10  | 3 Lead                              | 61 cm/24 in | 1 Set |
| 012-0327-10  | 5 Lead                              | 61 cm/24 in | 1 Set |
|  <b>For use with DIN Unshielded Lead Wires</b> |                                     |             |       |
| 706-0190-00  | Aria Telemetry Grouper (96281), IEC |             | 5/Bag |

### Telemetry Accessories



|  |  |       |         |
|--|--|-------|---------|
| <b>Disposable Pouches and Electrodes</b> |  |       |         |
| 015-0500-02                              | Ultraview Telemetry pouch (90347)                  |       | 100/Box |
| 690-0289-00                              | ECG electrode, transparent tape, adult, single use | Adult | 30/Box  |
| 690-0262-00                              | ECG transparent electrode, general/stress          | Adult | 30/Box  |




Indicates discontinued part, available while supplies last

### DIN Unshielded Lead Wires & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



DIN Un-Shielded

|   | Order Code                                | Description  | Length/Size                           | Qty     |
|---|---|--|---------------------------------------|---------|
| <b>SpO<sub>2</sub> Cable &amp; Sensors</b>  |   |  |                                       |         |
|    | <b>SpO<sub>2</sub> Cable</b>              |  |                                       |         |
|   | 700-0014-00                               | TruLink SpO2 Sensor Adapter Cable Compatible with SL multi-parameter telemetry transmitters (90343/91343/96281) and TruLink SpO2 sensors | 60 cm/24 in                           | 1 Cable |
| <b>Note: Only the below genuine Spacelabs and Nellcor branded SpO<sub>2</sub> sensors are compatible with Spacelabs Telemetry systems</b> |   |  |                                       |         |
|   | <b>Reusable SpO<sub>2</sub> Sensors</b>   |  |                                       |         |
|   | 015-0660-00                               | TruLink SpO <sub>2</sub> finger sensor   | Adult<br>>30 kg/66 lbs.               | 1 Each  |
|   | 690-0003-01                               | Nellcor DS-100A, finger SpO2 sensor<br><i>Available for sale with monitor purchase</i>   | Adult<br>>30 kg/66 lbs.               | 1 Each  |
|    | <b>Disposable SpO<sub>2</sub> Sensors</b> |  |                                       |         |
|   | 015-0662-00                               | TruLink SpO <sub>2</sub> foam sensor   | Adult<br>> 30 kg/66 lbs.              | 24/Box  |
|   | 015-0663-00                               | TruLink SpO <sub>2</sub> vinyl sensor  | Adult<br>>30 kg/66 lbs.               | 24/Box  |
|   | 015-0664-00                               | TruLink SpO <sub>2</sub> foam sensor   | Pediatric<br>10-50 kg/<br>22-110 lbs. | 24/Box  |
|   | 015-0665-00                               | TruLink SpO <sub>2</sub> vinyl sensor  | Pediatric<br>10-50 kg/<br>22-110 lbs. | 24/Box  |
|   | 015-0667-00                               | TruLink SpO <sub>2</sub> cloth sensor  | Neonatal<br><3 kg/7 lbs.              | 24/Box  |

Indicates discontinued part, available while supplies last

## SUPPLIES & ACCESSORIES

### CAPNOGRAPHY & MULTIGAS



## NomoLine Sampling Lines

NomoLine technology eliminates common problems associated with conventional sidestream gas analysis. Designed for low-flow applications, with functionality in any orientation, NomoLine sampling lines can be used in a variety of clinical scenarios on both intubated and non-intubated adult, pediatric, infant, and neonatal patients, in both low- and high-humidity configurations. These are designed for use with Spacelabs Capnography and Multi-Gas Modules 92516, 92517 and 92518.



| Order Code | Description | Length/Size | Qty |
|------------|-------------|-------------|-----|
|------------|-------------|-------------|-----|



### NomoLine LH (Low Humidity) Single Patient Use Sampling Lines - Non-Intubated Patients

#### NomoLine LH Nasal CO2 Cannula



|             |                |           |        |
|-------------|----------------|-----------|--------|
| 704-3817-00 | Adult          | 2 m/7 ft  | 25/Box |
| 704-4622-00 | Adult          | 4 m/13 ft | 25/Box |
| 704-3818-00 | Pediatric      | 2 m/7 ft  | 25/Box |
| 704-4623-00 | Pediatric      | 4 m/13 ft | 25/Box |
| 704-3819-00 | Infant         | 2 m/7 ft  | 25/Box |
| 704-3820-00 | Adult w/O2     | 2 m/7 ft  | 25/Box |
| 704-4624-00 | Adult w/O2     | 4 m/13 ft | 25/Box |
| 704-3821-00 | Pediatric w/O2 | 2 m/7 ft  | 25/Box |
| 704-4625-00 | Pediatric w/O2 | 4 m/13 ft | 25/Box |

#### NomoLine LH Nasal/Oral CO2 Cannula



|             |                |           |        |
|-------------|----------------|-----------|--------|
| 704-3822-00 | Adult          | 2 m/7 ft  | 25/Box |
| 704-4626-00 | Adult          | 4 m/13 ft | 25/Box |
| 704-3823-00 | Pediatric      | 2 m/7 ft  | 25/Box |
| 704-4627-00 | Pediatric      | 4 m/13 ft | 25/Box |
| 704-3824-00 | Adult w/O2     | 2 m/7 ft  | 25/Box |
| 704-4628-00 | Adult w/O2     | 4 m/13 ft | 25/Box |
| 704-3825-00 | Pediatric w/O2 | 2 m/7 ft  | 25/Box |
| 704-4629-00 | Pediatric w/O2 | 4 m/13 ft | 25/Box |



#### NomoLine LH Single Nasal Prong CO2 Cannula

|             |       |          |        |
|-------------|-------|----------|--------|
| 704-3826-00 | Adult | 2 m/7 ft | 25/Box |
|-------------|-------|----------|--------|

### NomoLine LH (Low Humidity) Single Patient Use Sampling Lines - Intubated Patients

#### NomoLine LH Airway Adapter Set



|             |                 |           |        |
|-------------|-----------------|-----------|--------|
| 704-3814-00 | Adult/Pediatric | 2 m/7 ft  | 25/Box |
| 704-3815-00 | Adult/Pediatric | 3 m/10 ft | 25/Box |
| 704-4620-00 | Adult/Pediatric | 4 m/13 ft | 25/Box |
| 704-4369-00 | Infant/Neonatal | 2 m/7 ft  | 25/Box |
| 704-4621-00 | Infant/Neonatal | 4 m/13 ft | 25/Box |

## NomoLine Sampling Lines

NomoLine technology eliminates common problems associated with conventional sidestream gas analysis. Designed for low-flow applications, with functionality in any orientation, NomoLine sampling lines can be used in a variety of clinical scenarios on both intubated and non-intubated adult, pediatric, infant, and neonatal patients, in both low- and high-humidity configurations. These are designed for use with Spacelabs Capnography and Multi-Gas Modules 92516, 92517 and 92518.



| Order Code | Description | Length/Size | Qty |
|------------|-------------|-------------|-----|
|------------|-------------|-------------|-----|



### NomoLine HH (High Humidity) Single Patient Use Sampling Lines - Non-Intubated Patients

#### NomoLine HH Nasal CO2 Cannula

|             |                |          |        |
|-------------|----------------|----------|--------|
| 704-3830-00 | Adult          | 2 m/7 ft | 25/Box |
| 704-3831-00 | Pediatric      | 2 m/7 ft | 25/Box |
| 704-3832-00 | Infant         | 2 m/7 ft | 25/Box |
| 704-3833-00 | Adult w/O2     | 2 m/7 ft | 25/Box |
| 704-3834-00 | Pediatric w/O2 | 2 m/7 ft | 25/Box |



#### NomoLine HH Nasal/Oral CO2 Cannula

|             |                |           |        |
|-------------|----------------|-----------|--------|
| 704-3835-00 | Adult          | 2 m/7 ft  | 25/Box |
| 704-3836-00 | Pediatric      | 2 m/7 ft  | 25/Box |
| 704-3837-00 | Adult w/O2     | 2 m/7 ft  | 25/Box |
| 704-3838-00 | Pediatric w/O2 | 3 m/10 ft | 25/Box |



#### NomoLine HH Single Nasal Prong CO2 Cannula


|             |       |          |        |
|-------------|-------|----------|--------|
| 704-3839-00 | Adult | 2 m/7 ft | 25/Box |
|-------------|-------|----------|--------|



### NomoLine HH (High Humidity) Single Patient Use Sampling Lines - Intubated Patients

#### NomoLine HH Airway Adapter Set

|             |                 |           |        |
|-------------|-----------------|-----------|--------|
| 704-3827-00 | Adult/Pediatric | 2 m/7 ft  | 25/Box |
| 704-3828-00 | Adult/Pediatric | 3 m/10 ft | 25/Box |
| 704-3829-00 | Infant          | 2 m/7 ft  | 25/Box |
| 704-4367-00 | Infant/Neonatal | 2 m/7 ft  | 25/Box |



NomoLine parts may not be available for sale in all countries

## Capnography & Multigas

Spacelabs carries a variety of TruLink and brand name capnography supplies that have been validated for use with Spacelabs modules. For Sidestream and Mainstream monitoring, we offer a variety of low-cost but high-function adapters, cannula, sampling lines, sensors, and airway T-adapters.



| Order Code | Description | Length/Size | Qty |
|------------|-------------|-------------|-----|
|------------|-------------|-------------|-----|

### Sidestream Monitoring Supplies

**Please note:** the NomoLine multi-patient-use adapter has been discontinued. Without this adapter there is no means to connect the below sidestream supplies to our capnography modules. We do, however, make these supplies available for order for those customers who have remaining supply of the adapter, or use these for other applications.

#### CO2 Nasal Cannula with male luer connector



|    |             |           |           |        |
|----|-------------|-----------|-----------|--------|
| *  | 704-0176-00 | Adult     | 2 m/7 ft  | 25/Box |
| CE | 704-0176-01 | Adult     | 2 m/7 ft  | 25/Box |
| ** | 704-0177-00 | Pediatric | 2 m/7 ft  | 25/Box |
| ** | 704-0178-00 | Infant    | 2 m/7 ft  | 25/Box |
| ** | 704-0184-00 | Adult     | 3 m/10 ft | 25/Box |

#### CO2 Nasal Cannula w/O2 Delivery and male luer connector



|    |             |           |           |        |
|----|-------------|-----------|-----------|--------|
| *  | 704-0181-00 | Adult     | 2 m/7 ft  | 25/Box |
| CE | 704-0181-01 | Adult     | 2 m/7 ft  | 25/Box |
| *  | 704-0180-00 | Pediatric | 2 m/7 ft  | 25/Box |
| CE | 704-0180-01 | Pediatric | 2 m/7 ft  | 25/Box |
| ** | 704-0179-00 | Infant    | 2 m/7 ft  | 25/Box |
| ** | 704-0186-00 | Adult     | 3 m/10 ft | 25/Box |

#### CO2 Oral/Nasal Cannula w/O2 Delivery and male luer connector



|    |             |       |           |        |
|----|-------------|-------|-----------|--------|
| *  | 704-0183-00 | Adult | 2 m/7 ft  | 25/Box |
| CE | 704-0183-01 | Adult | 2 m/7 ft  | 25/Box |
| ** | 704-0187-00 | Adult | 3 m/10 ft | 25/Box |

### Sidestream Monitoring Supplies - Intubated patients

#### Sampling Lines & Airway Adapters, single use



|    |             |   |           |        |
|----|-------------|---|-----------|--------|
| ** | 704-0191-00 | Adult CO2 Sample Line w/ T-Adapter                        | 2 m/7 ft  | 25/Box |
| ** | 704-0192-00 | Adult CO2 Sample Line w/ T-Adapter                        | 3 m/10 ft | 25/Box |
| *  | 166-7121-00 | Sidestream sampling line with male luer lock on both ends | 3 m/10 ft | 50/Box |
| CE | 166-7121-02 | Sidestream sampling line with male luer lock on both ends | 3 m/10 ft | 50/Box |
| *  | 704-0175-00 | Sidestream airway adapter/T-Adapter.                      |           | 25/Box |

Indicates discontinued part, available while supplies last

\* Product not available for sale into CE Mark Countries (EU)

CE product is available for sale into CE Mark Countries (EU)

\*\* Product not available for sale into CE Mark Countries (EU). NO alternative product currently available.


Capnography & Multigas

Spacelabs carries a variety of TruLink and brand name capnography supplies that have been validated for use with Spacelabs modules. For Sidestream and Mainstream monitoring, we offer a variety of low-cost but high-function adapters, cannula, sampling lines, sensors, and airway T-adapters.



| Order Code | Description | Length/Size | Qty |
|------------|-------------|-------------|-----|
|------------|-------------|-------------|-----|

Mainstream Monitoring Supplies for use only with the Capnography Module 92517 on intubated patients





|  | Sensor & Airway Adapters - required for mainstream monitoring |                                       |                        |
|---|---|---------------------------------------|------------------------|
|   | 010-1980-00   | Mainstream sensor, reusable           | 1 Each                 |
|   | 704-0173-00   | Mainstream airway adapter, single use | Adult/Pediatric 25/Box |
|   | 704-0174-00   | Mainstream airway adapter, single use | Infant 10/Box          |

### Capnography Accessories

The dual capnography module 91517 provides both Sidestream and Mainstream EtCo2 capabilities in a single module. Spacelabs carries validated TruLink and brand name cannula, sampling lines, and airway T-adapters for use with this module.



(91517)  
Dual Capnography Module







|   | Order Code  | Description                           | Size | Qty    |
|---|---|---------------------------------------|------|--------|
| <b>Sidestream, Non-intubated, single patient use</b>                                |   |                                       |      |        |
|    | <b>CO<sub>2</sub> Nasal Cannula</b>                               |                                       |      |        |
|   | * 704-0010-00   | Adult                                 |      | 10/Box |
|   | CE 704-0010-10  | Adult                                 |      | 10/Box |
|   | * 704-0012-00   | Pediatric                             |      | 10/Box |
|   | CE 704-0012-10  | Pediatric                             |      | 10/Box |
|   | CE 704-0011-10  | Infant/Neonatal                       |      | 10/Box |
|   | <b>CO<sub>2</sub> Nasal Cannula w/O<sub>2</sub> Delivery</b>      |                                       |      |        |
|   | * 704-0014-00   | Adult                                 |      | 10/Box |
|   | CE 704-0014-10  | Adult, (for sale into EU/UK only)     |      | 10/Box |
|   | * 704-0016-00   | Pediatric                             |      | 10/Box |
|   | CE 704-0016-10  | Pediatric, (for sale into EU/UK only) |      | 10/Box |
|   | * 704-0015-00   | Infant/Neonatal                       |      | 10/Box |
|  | <b>CO<sub>2</sub> Oral/Nasal Cannula</b>                          |                                       |      |        |
|   | * 704-0017-00   | Adult                                 |      | 10/Box |
|   | CE 704-0017-10  | Adult, (for sale into EU/UK only)     |      | 10/Box |
|   | * 704-0019-00   | Pediatric                             |      | 10/Box |
|   | CE 704-0019-10  | Pediatric                             |      | 10/Box |
|  | <b>CO<sub>2</sub> Oral/Nasal Cannula w/O<sub>2</sub> Delivery</b> |                                       |      |        |
|   | * 704-0020-00   | Adult                                 |      | 10/Box |
|   | CE 704-0020-10  | Adult, (for sale into EU/UK only)     |      | 10/Box |
|   | * 704-0022-00   | Pediatric                             |      | 10/Box |
|   | CE 704-0022-10  | Pediatric, (for sale into EU/UK only) |      | 10/Box |

### Capnography Accessories

The dual capnography module 91517 provides both Sidestream and Mainstream EtCo2 capabilities in a single module. Spacelabs carries validated TruLink and brand name cannula, sampling lines, and airway T-adapters for use with this module.



(91517)  
Dual Capnography Module





|   | Order Code     | Description   | Size       | Qty    |
|---|----------------|---|------------|--------|
| <b>Sidestream, Intubated, single patient use</b>                                    |                |   |            |        |
| <b>Sidestream - short term up to 12 hours (patient non-humidified)</b>              |                |   |            |        |
|    | * 704-0023-00  | Airway adapter + sampling line, ET tube > 4.0 mm  | Adult/Ped  | 10/Box |
|   | CE 704-0023-10 | Airway adapter + sampling line, ET tube > 4.0 mm  | Adult/Ped  | 10/Box |
|    | * 704-0024-00  | Airway adapter + sampling line, ET tube ≤ 4.0 mm  | Ped/Infant | 10/Box |
|   | CE 704-0024-10 | Airway adapter + sampling line, ET tube ≤ 4.0 mm  | Ped/Infant | 10/Box |
|    | * 704-0027-00  | CO <sub>2</sub> sampling line w/male luer<br><i>Recommended for heat moisture exchange filters</i>            |            | 10/Box |
|   | CE 704-0027-10 | CO <sub>2</sub> sampling line w/male luer<br><i>Recommended for heat moisture exchange filters</i>            |            | 10/Box |
| <b>Sidestream - long term up to 120 hours (patient humidified)</b>                  |                |   |            |        |
|  | * 704-0025-00  | Airway adapter + sampling line with Nafion®, ET tube > 4.0 mm   | Adult/Ped  | 10/Box |
|   | CE 704-0025-10 | Airway adapter + sampling line with Nafion®, ET tube > 4.0 mm   | Adult/Ped  | 10/Box |
|  | * 704-0026-00  | Airway adapter + sampling line with Nafion  | Ped/Infant | 10/Box |
|   | CE 704-0026-10 | Airway adapter + sampling line with Nafion  | Ped/Infant | 10/Box |
|  | * 704-0028-00  | CO <sub>2</sub> sampling line w/male luer and Nafion<br><i>Recommended for heat moisture exchange filters</i> |            | 10/Box |
|   | CE 704-0028-10 | CO <sub>2</sub> sampling line w/male luer and Nafion<br><i>Recommended for heat moisture exchange filters</i> |            | 10/Box |

### Capnography Accessories

The dual capnography module 91517 provides both Sidestream and Mainstream EtCo<sub>2</sub> capabilities in a single module. Spacelabs carries validated TruLink and brand name cannula, sampling lines, and airway T-adapters for use with this module.



(91517)  
Dual Capnography Module

|  | Order Code     | Description                                | Size    | Qty    |
|--|----------------|--|---------|--------|
| <b>Mainstream, for Intubated Patients Only</b>                                     |                |  |         |        |
| <b>Mainstream Airway Adapters, for use with CO<sub>2</sub> Sensor 704-0001-00</b>  |                |  |         |        |
|   | * 704-0005-00  | CO <sub>2</sub> airway adapter, single use | Adult   | 24/Box |
|  | CE 704-0005-10 | CO <sub>2</sub> airway adapter, single use | Adult   | 10/Box |
|   | * 704-0004-00  | CO <sub>2</sub> airway adapter, single use | Neonate | 24/Box |
|  | CE 704-0004-10 | CO <sub>2</sub> airway adapter, single use | Neonate | 10/Box |
|   | * 704-0002-00  | CO <sub>2</sub> airway adapter, reusable   | Adult   | 1 Each |
|  | CE 704-0002-10 | CO <sub>2</sub> airway adapter, reusable   | Adult   | 1 Each |
|  | CE 704-0003-10 | CO <sub>2</sub> airway adapter, reusable   | Neonate | 1 Each |

Indicates discontinued part, available while supplies last

\* Product not available for sale into CE Mark Countries (EU)

CE product is available for sale into CE Mark Countries (EU)

\*\* Product not available for sale into CE Mark Countries (EU). NO alternative product currently available.

### Multigas Analyzer Supplies







For use with Ultraview SL™ Multigas Analyzers (90518 & 91518).



(90518)



(91518 )

|   | Order Code  | Description  | Length/Size   | Qty     |
|---|-------------|--|---------------|---------|
| <b>Multigas Supplies &amp; Accessories</b>  |             |  |               |         |
| <b>Anesthetic Agent Samples Lines</b>   |             |  |               |         |
|    | 015-0312-01 | Anesthetic agent sample line with gas sampling tee and airway adapter, single use, Sampling tee: 22mm OD/15 mm ID x 15mm OD Sampling line: 1.22 mm/0.05 inches ID tubing (90518/91518) | 213 cm/7 ft.  | 50/Box  |
|    | 015-0313-01 | Anesthetic agent sample line with gas sampling tee and airway adapter, single use, Sampling tee: 22mm OD/15 mm ID x 15mm OD Sampling line: 1.22 mm/0.05 inches ID tubing (90518/91518) | 305 cm/10 ft. | 50/Box  |
|   | 162-0046-01 | Anesthetic agent sample line with a male luer connector on each end, single use, 1.22 mm/.048 in ID tubing (90518/91518)   | 305 cm/10 ft. | 50/Box  |
|  | 162-0047-01 | Anesthetic agent sample line with a male luer connector on each end, single use, 1.22 mm/.048 in ID tubing (90518/91518)   | 213 cm/7 ft.  | 50/Box  |
| <b>Water Traps, Reusable</b>  |             |  |               |         |
|  | 717-0447-00 | D-FEND water trap cartridge, Black.<br>Replace at least once every two months or when occluded (91518)   |               | 10/Pack |
|  | 717-0448-00 | D-FEND+ water trap cartridge, green<br>Replace at least once every 24 hours or when occluded (91518)   |               | 10/Pack |

## SUPPLIES & ACCESSORIES

### PULSE OXIMETRY










## TruLink SpO<sub>2</sub> Supplies & Accessories

### Spacelabs TruLink Technology

TruLink branded pulse oximetry supplies and accessories are available for Spacelabs command modules (90496-U/91496-U). These cables and sensors are designed specifically for the Spacelabs module and provide a high level of validated reliable and accurate data capture. Economical and high quality, TruLink SPO<sub>2</sub> supplies are available in reusable and disposable sensors for all patient types, including a popular reusable multi-site sensor that depending on patient type can read from finger, ear, foot or toe.



|   | Order Code                | Description   | Length/Size   | Qty    |
|---|---------------------------|---|---|--------|
| <b>Spacelabs TruLink Technology</b>   |                           |   |   |        |
|    | <b>Cables</b>             |   |   |        |
|   | 700-0030-00               | TruLink SpO <sub>2</sub> cable  | 305 cm/10 ft.   | 1 Each |
|    | <b>Reusable sensors</b>   |   |   |        |
|   | 015-0660-00               | TruLink SpO <sub>2</sub> finger sensor  | Adult<br>>30 kg/66 lbs.   | 1 Each |
|   | 015-0661-00               | TruLink SpO <sub>2</sub> Y multi-site sensor<br><u>Includes:</u> (1) Sensor (1) ear clip (10) adult finger/neonate feet/hand wraps (1) pediatric finger or infant toe wraps | Universal<br>Adult>30 kg<br>Pediatric 10-50kg<br>Infant 3-20kg<br>Neonatal <3kg | 1 Each |
|   | <b>Disposable Sensors</b> |   |   |        |
|  | 015-0662-00               | TruLink SpO <sub>2</sub> foam sensor  | Adult<br>> 30 kg/66 lbs.  | 24/Box |
|   | 015-0663-00               | TruLink SpO <sub>2</sub> vinyl sensor   | Adult<br>>30 kg/66 lbs.   | 24/Box |
|  | 015-0664-00               | TruLink SpO <sub>2</sub> foam sensor  | Pediatric<br>10-50 kg/<br>22-110 lbs.   | 24/Box |
|   | 015-0665-00               | TruLink SpO <sub>2</sub> vinyl sensor   | Pediatric<br>10-50 kg/<br>22-110 lbs.   | 24/Box |
|  | 015-0666-00               | TruLink SpO <sub>2</sub> cloth sensor   | Infant<br>3-20 kg/7-44 lbs.   | 24/Box |
|   | 015-0667-00               | TruLink SpO <sub>2</sub> cloth sensor   | Neonatal<br><3 kg/7 lbs.  | 24/Box |
|  | <b>Dixtal Cables</b>      |   |   |        |
|   | 700-0029-00               | TruLink SpO <sub>2</sub> cable compatible with Novamatrix® sensors  | 30 cm/12 in.  | 1 Each |

Indicates discontinued part, available while supplies last

## Masimo® SpO<sub>2</sub> Supplies & Accessories

### LNCS® Masimo SET® Technology

For use with Ultraview SL™ Command Module (91496-M).  
Cables and connectors are color-coded gray. Note: use only genuine Masimo branded sensors. Masimo sensors are Not compatible with the 91496-U, 91496-N or Aria Tele modules.



| Order Code | Description | Length/Size | Qty |
|------------|-------------|-------------|-----|
|------------|-------------|-------------|-----|

#### LNCS Masimo SET Technology



##### LNCS Adapter Cable

|             |  |              |        |
|-------------|--|--------------|--------|
| 700-0906-01 | TruLink SpO <sub>2</sub> cable compatible with Masimo LNCS sensors (91496-M/91496-U) | 305 cm/10 ft | 1 Each |
|-------------|--|--------------|--------|



##### LNCS Reusable Sensors

|             |   |                       |        |
|-------------|---|-----------------------|--------|
| 690-0247-00 | Masimo LNCS DC-I, SpO <sub>2</sub> digit sensor                   | Adult<br>> 30 kg      | 1 Each |
| 690-0248-00 | Masimo LNCS DC-IP, SpO <sub>2</sub> digit sensor                  | Pediatric<br>10-50 kg | 1 Each |
| 690-0249-00 | Masimo LNCS TC-I, Tip-Clip SpO <sub>2</sub> ear sensor            | Adult<br>> 30 kg      | 1 Each |
| 690-0250-00 | Masimo LNCS TF-I, Transflectance SpO <sub>2</sub> forehead sensor | Adult<br>> 30 kg      | 1 Each |
| 690-0291-00 | Masimo LNCS Y-I multisite sensor                                  | > 1 kg                | 1 Each |

#### LNCS Masimo SET Technology



##### LNCS Disposable Sensors

|             |  |                               |        |
|-------------|--|-------------------------------|--------|
| 690-0251-00 | Masimo LNCS Amtx, adhesive SpO <sub>2</sub> sensor, 18 in. | Adult<br>> 30 kg              | 20/Box |
| 690-0252-00 | Masimo LCNS Pmtx, adhesive SpO <sub>2</sub> sensor, 18 in. | Pediatric<br>10 - 50 kg       | 20/Box |
| 690-0258-00 | Masimo LNCS Inf-L, adhesive SpO <sub>2</sub> sensor, 3 ft. | Infant<br>3 kg > 20 kg        | 20/Box |
| 690-0259-00 | Masimo LNCS Neo-L, adhesive SpO <sub>2</sub> sensor, 3 ft. | Neonatal<br>< 3 kg or > 40 kg | 20/Box |

## Masimo® SpO<sub>2</sub> Supplies & Accessories RD SET Technology

For use with Ultraview SL™ Command Module (91496-M).  
Cables and connectors are color-coded gray. Note: use  
only genuine Masimo branded sensors. Masimo sensors  
are Not compatible with the 91496-U, 91496-N or Aria



| Order Code | Description | Length/Size | Qty |
|------------|-------------|-------------|-----|
|------------|-------------|-------------|-----|

### RD SET Masimo Technology

#### RD SET Adapter Cable

|             |                          |        |        |
|-------------|--------------------------|--------|--------|
| 010-1649-00 | Masimo RD SET SpO2 Cable | 12 ft. | 1 Each |
|-------------|--------------------------|--------|--------|

#### RD SET Reusable Sensors

|             |   |                       |        |
|-------------|---|-----------------------|--------|
| 690-0267-00 | Masimo RD SET DCI reusable SpO2 sensor            | Adult<br>> 30 kg      | 1 Each |
| 690-0270-00 | Masimo RD SET DCI-P reusable SpO2 sensor          | Pediatric<br>10-50 kg | 1 Each |
| 690-0274-00 | Masimo RD SET TC-I Tip-Clip reusable SpO2 sensor  | Adult<br>> 30 kg      | 1 Each |
| 690-0281-00 | Masimo RD SET Y-I multi-site reusable SpO2 sensor | > 1 kg                | 1 Each |

### RD SET Masimo Technology

#### RD SET Adhesive Disposable Sensors

|             |   |   |        |
|-------------|---|---|--------|
| 690-0283-00 | Masimo RD SET Adt, adhesive SpO2 sensor   | Adult, > 30 kg<br>finger or toe                                   | 20/Box |
| 690-0284-00 | Masimo RD SET Pdt, adhesive SpO2 sensor   | Pediatric, 10-50<br>kg, finger or toe                             | 20/Box |
| 690-0285-00 | Masimo RD SET Inf, adhesive SpO2 sensor   | Infant, 3—20 kg,<br>thumb or great<br>toe                         | 20/Box |
| 690-0286-00 | Masimo RD SET Neo, adhesive SpO2 sensor   | Neonatal <3 kg,<br>hand or foot<br>Adult > 40 kg<br>finger or toe | 20/Box |
| 690-0287-00 | Masimo RD SET NeoPt, adhesive SpO2 sensor | Neonatal, <1 kg<br>hand or foot                                   | 20/Box |






Indicates discontinued part, available while supplies last

## Nellcor® SpO<sub>2</sub> Supplies & Accessories

### Nellcor™ OxiMax® Technology

For use with Spacelabs Command Modules (90496,91496-N & 91496-U) and mCare Monitor 91220 and DM3 Monitor. Cables and connectors are color-coded purple. **Note, use only genuine Nellcor sensors.**



|  | Order Code   | Description   | Length/Size      | Qty    |
|--|--|---|------------------|--------|
| <b>Nellcor OxiMax Technology</b>   |  |   |                  |        |
|   | <b>Cable</b>   |   |                  |        |
|  | 700-0792-00  | TruLink SpO <sub>2</sub> cable compatible with Nellcor OxiMax sensors (91496-N, 91220, 91330-N) |                  | 1 Each |
| <br><br><br> | <b>Reusable Sensors</b>  |   |                  |        |
|  | <b>Note:</b> Nellcor sensors are available for purchase through Spacelabs Healthcare only with the purchase of capital equipment. All future purchases should be made directly through Nellcor(Covidien), now part of Medtronic. |   |                  |        |
|  | 690-0003-01  | Nellcor DS-100A, finger SpO <sub>2</sub> sensor   | Adult            | 1 Each |
|  | 690-0004-01  | Nellcor OXI-A/N, SpO <sub>2</sub> sensor  | Adult/Neonatal   | 1 Each |
|  | 690-0039-01  | Nellcor OXI-P/I, SpO <sub>2</sub> sensor  | Pediatric/Infant | 1 Each |
|  | 690-0215-01  | Nellcor DS-Y, multi-site SpO <sub>2</sub> sensor  | Universal        | 1 Each |

## SUPPLIES & ACCESSORIES

### TEMPERATURE












# TEMPERATURE

## Temperature Supplies

A variety of supplies are available through Spacelabs for 90496/91496 modules configured for temperature. A selection of



|   | Order Code  | Description   | Length/Size  | Qty    |
|---|---|---|--------------|--------|
| <b>Continuous Temperature</b>   |   |   |              |        |
|    | <b>Cables</b>   |   |              |        |
|   | <i>For use with Command Modules 90496/91496, DM3 Monitor 91330 and mCare Monitor 91220</i>      |   |              |        |
|   | 700-0031-00   | TruLink Dual Temperature Cable  | 30 cm/12 in. | 1 Each |
|   | 700-4000-00   | Universal temperature probe extension cable, YSI 400 series compatible *Required for use of single use temperature probes/sensors | 305 cm/10 ft | 1 Each |
| <b>Reusable Probes/Sensors</b>  |   |   |              |        |
|    | <b>Skin Surface</b>   |   |              |        |
|   | 690-0028-01   | YSI 700 series compatible   | 305 cm/10 ft | 1 Each |
|    | <b>Esophageal / Rectal</b>  |   |              |        |
|   | 690-0272-00   | 12 French, YSI 400 series compatible  | 305 cm/10 ft | 1 Each |
|   | 118-0256-01   | 12 French, YSI 700 series compatible  | 305 cm/10 ft | 1 Each |
| <b>Single use Probes/Sensors - Requires YSI 400 series cable (700-4000-00)</b>      |   |   |              |        |
|  | <b>Skin</b>   |   |              |        |
|   | 701-4000-00   | Skin Temperature Sensor   |              | 20/Box |
|  | <b>Esophageal/ Stethoscope</b>  |   |              |        |
|   | 701-4009-00   | 9 French, YSI 400 series compatible   |              | 20/Box |
|   | 701-4012-00   | 12 French, YSI 400 series compatible  |              | 20/Box |
|   | 701-4018-00   | 18 French, YSI 400 series compatible  |              | 20/Box |
|  | <b>Esophageal/ Rectal</b>   |   |              |        |
|   | 701-4109-00   | 9 French, YSI 400 series compatible   |              | 20/Box |
|   | 701-4112-00   | 12 French, YSI 400 series compatible  |              | 20/Box |
|  | <b>Foley catheter with temperature probe</b>  |   |              |        |
|   | 701-4214-00   | 14 French, YSI 400 series compatible  |              | 20/Box |
|   | 701-4216-00   | 16 French, YSI 400 series compatible  |              | 20/Box |
|   | 701-4218-00   | 18 French, YSI 400 series compatible  |              | 20/Box |
|  | <b>Tympanic temperature sensor</b>  |   |              |        |
|   | 701-4300-00   | Adult, YSI 400 series compatible  |              | 20/Box |
|  | <b>Exergen</b>  |   |              |        |
|   | <i>For use with Qube Mini (91389), Qube (91390), Xprezzon(91393) &amp; DM4 (91331) Monitors</i> |   |              |        |
|   | 010-2157-00   | Temporal Artery Thermometer   |              | 1 Each |

## SUPPLIES & ACCESSORIES

### INVASIVE PRESSURE



## Invasive Pressure Supplies

Supplies are available through Spacelabs for 90496/91496 modules configured for invasive pressure. Customers can choose from Edwards Lifesciences or Abbott Laboratories integrated single or dual pressure cables that connect directly to the transducer(s). For BD models, Spacelabs offers single or dual adapters and interface cables to allow use of compatible transducers. Transducer kits are available in patient or pole mount options, as well as a neonatal configuration.



| Order Code   | Description  | Length/Size    | Qty    |
|--|--|----------------|--------|
| <b>Integrated Adapter Cables (connects directly to transducer)</b>                                 |  |                |        |
| <b>Edward Lifesciences</b>   |  |                |        |
| 700-0293-01  | Single pressure integrated cable   | 396 cm/13 ft   | 1 Each |
| 700-0292-01  | Dual pressure integrated cable   | 396 cm/13 ft   | 1 Each |
| <b>Abbott Laboratories/Hospira/ICU Medical</b>   |  |                |        |
| 700-0295-01  | Single pressure integrated cable   | 396 cm/13 ft   | 1 Each |
| 700-0294-01  | Dual pressure integrated cable   | 396 cm/13 ft   | 1 Each |
| <b>Interface Cable &amp; Adapters</b>  |  |                |        |
| <b>Interface Cable (Datex-Ohmeda TC-VTK or Becton Dickinson model 684085 pressure transducers)</b> |  |                |        |
| 690-0021-00  | Requires adapter cable 700-0091-00 or 700-0028-00  | 366 cm/12 ft   | 1 Each |
| <b>Interface Adapter- Transducer interface cable required from transducer company</b>              |  |                |        |
| 700-0791-00  | Single pressure cable  | 122 cm/4 ft    | 1 Each |
| 700-0028-00  | Dual pressure cable  | 122 cm/4 ft    | 1 Each |
| <b>Transducer Kits &amp; Accessories</b>   |  |                |        |
| <b>Indicates discontinued part, available while supplies last</b>                                  |  |                |        |
| <b>Diaphragm Dome, Single Use</b>  |  |                |        |
| 690-0018-00  | Diaphragm dome, single use<br>Rotating luer lock fittings<br>Compatible with Datex-Ohmeda TA1010ND |                | 12/Box |
| <b>Pressure Transducer Kits, Single use</b>  |  |                |        |
| 690-0008-00  | Transducer Kit, Patient Mount, DTX/Plus  | 152.5 cm/60 in | 5/Box  |
| 690-0009-00  | Transducer Kit, Pole Mount, DTX/Plus   | 152.5 cm/60 in | 5/Box  |
| 690-0011-00  | Pressure Transducer, Neonatal  |                | 10/Box |

## SUPPLIES & ACCESSORIES

### CARDIAC OUTPUT



# CARDIAC OUTPUT

## Cardiac Output Supplies

A variety of supplies are available through Spacelabs for 90496/91496 modules configured for cardiac output. These supplies facilitate the thermodilution method. Spacelabs offers adapters, cables, reference and inline injectate probes and kits compatible with BD or Edwards Lifesciences



| Order Code                                | Description  | Length/Size  | Qty    |
|---|--|--------------|--------|
| <b>Cardiac Output Cables &amp; Probes</b> |  |              |        |
| <b>Cables</b>                             |  |              |        |
| 700-0027-00                               | TruLink Cardiac Output Adapter Cable   | 30 cm/12 in. | 1 Each |
| 306655-003                                | Cardiac Output cable compatible with Baxter Edwards/Abbott injectate temperature probes and most models of thermodilution catheters                          |              | 1 Each |
| 306655-004                                | Cardiac Output cable compatible with Becton Dickinson/Datex-Ohmeda and Argon Medical injectate temperature probes  |              | 1 Each |
| <b>Injectate Probes</b>                   |  |              |        |
| 690-0023-00                               | In-line injectate temperature probe<br>Compatible with Datex-Ohmeda SP4045   |              | 1 Each |
| 690-0024-00                               | Reference solution in-line injectate temperature probe.<br>Compatible with Datex-Ohmeda SP5030   |              | 1 Each |
| 690-0033-00                               | In-line injectate temperature probe. Compatible with Datex-Ohmeda SP4042. Not compatible with Abbott or Baxter in-line injectate probes or delivery systems. |              | 1 Each |
| 690-0043-01                               | In-line injectate sensor housing, single use, sterile.<br>Compatible with Datex-Ohmeda SP5045  |              | 25/Box |

## Cardiac Output Injectate Kits

### Closed Loop Injectate Kits

690-0031-00 CritiKit SP4572 CO in-line room temperature injectate kit, closed-loop delivery system, single use, sterile 5/Box





690-0032-00 CritiKit SP4500 CO in-line ice temperature injectate kit, closed-loop delivery system, single use, sterile 4/Box



## SUPPLIES & ACCESSORIES

### RECORDING & PRINTING






## Thermal Paper

High quality Z-fold paper for use with the Bedside Printer Module (90449) and Central Printer (90469).

Roll paper for use with the Standalone printer (91449) and Spacelabs Portable Monitors.



(91449 )

|   | Order Code  | Description  | Length/Size   | Qty          |
|---|---|--|---------------|--------------|
| <b>Thermal Paper</b>  |   |  |               |              |
|    | <b>Z-fold Paper for use with 90449 and 90469</b>                      |  |               |              |
|   | 006-0196-00   | TruLink Thermal Paper, Z-Fold Pads, 2-channel printing, blank paper, 230 Sheets/pad              | 27.4 m/90 ft  | 10 Pads/Box  |
|   | 307568-001  | TruLink Thermal Paper, Z-fold Pads, 2- or 4-channel printing, blank paper, 300 sheets/pad        | 45.7 m/150 ft | 10 Pads/Box  |
|   |   |  |               |              |
|  | <b>Roll Paper for use with 91449, 91367, 91369, 91370 &amp; 91390</b> |  |               |              |
|   | 307438-001  | TruLink Thermal Paper, Rolls, single- or dual-channel printing, 50 mm/1.97 inch wide blank paper | 30.1 m/100 ft | 10 Rolls/Box |
|   | Indicates discontinued part, available while supplies last            |  |               |              |

## SUPPLIES & ACCESSORIES

### BISPECTRAL INDEX



## Bispectral Index Supplies

For use with Spacelabs BISx™ Module (91482).



| Order Code | Description | Qty |
|------------|-------------|-----|
|------------|-------------|-----|

### BISx Cables & Sensors

#### BISx Cables

|             |                              |        |
|-------------|------------------------------|--------|
| 719-0004-01 | BISx Patient Interface cable | 1 Each |
| 719-0006-20 | BISx Pod                     | 1 Each |
| 719-0007-01 | BISx host monitor cable      | 1 Each |

#### BISx Sensors

**Note:** Sales of BISx sensors are limited to one box with the purchase of capital equipment. All future purchases should be made directly through Covidien, now part of Medtronic.

|             |  |        |
|-------------|--|--------|
| 719-0003-10 | BISx Extend Sensor, single patient use | 25/Box |
|-------------|--|--------|



|             |   |        |
|-------------|---|--------|
| 719-0001-10 | BISx Pediatric Sensor, single patient use | 25/Box |
|-------------|---|--------|



|             |  |        |
|-------------|--|--------|
| 719-0002-10 | BISx Quatro Sensor, single patient use | 25/Box |
|-------------|--|--------|



Indicates discontinued part, available while supplies last

## SUPPLIES & ACCESSORIES

### ULTRAVIEW DM3 DUAL MODE VITAL SIGNS MONITOR



## Vital Sign Monitoring

Ultraview DM3 supports measurement of SpO2, pulse rate, NIBP and temperature, and can be used in any patient care environment where basic vital signs monitoring is needed.

See previous sections for NIBP and SpO2 supplies:

- The DM3 uses the TruLink NIBP cuffs (single tube, bayonet fitting) and the standard air hose 714-0018-00.
- The DM3 used the same cables and sensors, by brand, for pulse oximetry.




DM3 91330

| Order Code                                 | Description                         | Size | Length/Size | Qty     |
|--|-------------------------------------|------|-------------|---------|
| <b>Supplies unique to the DM3 monitor:</b> |                                     |      |             |         |
| 019-0539-00                                | Replacement Temperature             |      |             | 1 Each  |
| 701-0122-00                                | Disposable Temperature Probe Covers |      |             | 200/Box |

## SUPPLIES & ACCESSORIES

### DM4 VITAL SIGNS MONITOR



### Vital Sign Monitoring

Ultraview DM4 supports measurement of SpO<sub>2</sub>, pulse rate, NIBP and temperature, and can be used in any patient care environment where basic vital signs monitoring is needed.

The DM4 uses TruLink branded NIBP cuffs (single tube, bayonet fitting) and air hose (714-0018-00)




91331

| Order Code                                | Description  | Length/Size  | Qty    |
|---|--|--------------|--------|
| <b>Supplies unique to the DM4 monitor</b> |  |              |        |
| <b>LNCS Adapter Cable</b>                 |  |              |        |
| 010-2227-00                               | DM4 Masimo LNCS SpO <sub>2</sub> cable compatible with Masimo LNCS sensors, see section on Masimo LNCS sensors   | 305 cm/10 ft | 1 Each |
| <b>RD SET Adapter Cable</b>               |  |              |        |
| 010-2193-00                               | DM4 Masimo RD SET SpO <sub>2</sub> cable compatible with Masimo RD SET sensors, see section on RD SET sensors    | 305 cm/10 ft | 1 Each |
| <b>Nellcor OxiMax Cable</b>               |  |              |        |
| 010-2192-00                               | DM4 Nellcor OxiMax SpO <sub>2</sub> cable compatible with Nellcor OxiMax sensors, see section on Nellcor sensors | 305 cm/10 ft | 1 Each |
| <b>Filac</b>                              |  |              |        |
| 010-2175-00                               | Filac temperature probe  |              | 1 Each |
| 010-2174-00                               | Filac temperature isolation chamber  |              | 1 Each |
| 010-2228-00                               | Filac temperature oral probe covers, 20/bx   |              | 25/bxs |
| <b>Exergen</b>                            |  |              |        |
| 010-2157-00                               | Temporal Artery Thermometer  |              | 1 Each |

## SUPPLIES & ACCESSORIES

### ELANCE



## Elace Vital Signs Monitor

The élance family of integrated monitors offers you high-performance monitoring of essential parameters including ECG (3- and 5-lead), respiration, noninvasive blood pressure, peripheral O2 saturation and two temperatures. The “i” models add two channels of invasive blood pressure, and the “c” models add Microstream end tidal CO2.

Most TruLink supplies work with the Elance monitor:

- TruLink NIBP cuffs and hoses are compatible
- SpO2 sensors are compatible with same brand cable below
- TruLink ECG cables and leadwire systems are compatible




Elace Vital Signs Monitor  
93300

| Order Code | Description | Qty |
|------------|-------------|-----|
|------------|-------------|-----|

### Supplies unique to the Elance monitor

#### ECG Lead Wires & Cables (can also use standard TruLink ECG cables and leadwire systems)



#### ECG Integrated Cables and Lead Wires

|             |   |                           |        |
|-------------|---|---------------------------|--------|
| 700-0008-22 | 5-lead Wire Set, Snap, Shielded, AAMI Color Coding, with Integrated Cable, Shielded | 61cm/10in<br>305 cm/10 ft | 1 Each |
| 700-0008-23 | 5-lead Wire Set, Snap, Shielded, IEC Color Coding, with Integrated Cable, Shielded  | 61cm/10in<br>305 cm/10 ft | 1 Each |
| 700-0008-24 | 3-lead Wire Set, Snap, Shielded, AAMI Color Coding, with Integrated Cable, Shielded | 61cm/10in<br>305 cm/10 ft | 1 Each |
| 700-0008-25 | 3-lead Wire Set, Snap, Shielded, IEC Color Coding, with Integrated Cable, Shielded  | 61cm/10in<br>305 cm/10 ft | 1 Each |

#### Spacelabs TruLink SpO2 Technology (use cable below with TruLink branded sensors only)



#### SpO2 Cable

|             |                    |              |        |
|-------------|--------------------|--------------|--------|
| 700-0287-00 | SpO2 adapter cable | 305 cm/10 ft | 1 Each |
|-------------|--------------------|--------------|--------|

#### LNCS Masimo SET SpO2 Technology (use cable below with Masimo LNCS sensors only)



#### LNCS Adapter Cable

|             |                                  |              |        |
|-------------|----------------------------------|--------------|--------|
| 690-0256-00 | SpO2 Adapter Cable, Masimo, LNCS | 305 cm/10 ft | 1 Each |
|-------------|----------------------------------|--------------|--------|

#### Nellcor OxiMax SpO2 Technology (use cable below with Nellcor OxiMax sensors only)



#### Cable

|             |                                    |            |        |
|-------------|------------------------------------|------------|--------|
| 700-0290-00 | SpO2 Adapter Cable, Nellcor OxiMax | 305cm/10ft | 1 Each |
|-------------|------------------------------------|------------|--------|

#### Temperature



#### Temperature Probe

|             |  |            |        |
|-------------|--|------------|--------|
| 690-0261-01 | Skin/Surface Temp probe, reusable, YSI-400 | 305cm/10ft | 1 Each |
|-------------|--|------------|--------|

#### Invasive Blood Pressure (See IBP section for compatible sensors and transducers)



#### Interface Cable

|             |   |              |        |
|-------------|---|--------------|--------|
| 690-0021-00 | Compatible with Datex Ohmeda TC-VTK or Becton Dickinson model 684085 pressure transducers. See IBP section for other compatible supplies. | 366 cm/12 ft | 1 Each |
|-------------|---|--------------|--------|

#### Recording & Printing



#### Paper

|            |   |               |             |
|------------|---|---------------|-------------|
| 307568-001 | TruLink Thermal Paper, Z-fold Pads, 2- or 4-channel printing, blank paper, 300 sheets/pad | 45.7 m/150 ft | 10 Pads/Box |
|------------|---|---------------|-------------|

Indicates discontinued part, available while supplies last

## SUPPLIES & ACCESSORIES ANESTHESIA



## Anesthesia

Anesthesia System For use with Spacelabs ARKON Anesthesia Delivery System and BleaseSirius and BleaseSirius Anesthesia Machines.



BleaseFocus



BleaseSirius



ARKON

| Order Code | Description | Qty |
|------------|-------------|-----|
|------------|-------------|-----|

### Anesthesia Supplies

#### CO<sub>2</sub> Canisters



*For use with ARKON Anesthesia Delivery System only*

|             |  |        |
|-------------|--|--------|
| 015-0702-00 | CO2 Canister w/Spherasorb, white to violet | 6/Case |
|-------------|--|--------|

Indicates discontinued part, available while supplies last

#### Patient Flow Sensors

*For use with BleaseSirius and BleaseFocus Anesthesia Machines only*

|             |  |        |
|-------------|--|--------|
| 10110090    | Adult Patient flow sensor                            | 1 Each |
| 10110219    | 1.5M Patient flow sensor tubing assembly             | 1 Each |
| 10110218    | 2M Patient flow sensor tubing assembly               | 1 Each |
| 10110122    | 2.5M Patient flow sensor tubing assembly             | 1 Each |
| 10110102    | 3M Patient flow sensor tubing assembly               | 1 Each |
| 10110103    | 6M Patient flow sensor tubing assembly               | 1 Each |
| 10110104    | 1.8M Patient flow sensor tubing assembly kit, single | 1 Each |
| 70300001    | O2 probe with tee                                    | 1 Each |
| 376-0561-01 | Pediatric flow sensor kit *EU/UK ONLY*               | 1 Each |
| FR101029    | Pediatric flow sensor and tubing kit, 2.0 meters     | 1 Each |
| FR101030    | Pediatric flow sensor and tubing kit, 3.0 meters     | 1 Each |

### Anesthesia Supplies - not anesthesia machine specific

#### Reusable Breathing Circuits

|        |                                  |        |
|--------|----------------------------------|--------|
| ST2670 | Malleable face mask, size 4      | 1 Each |
| 42100  | Malleable face mask set, 7 sizes | 7/Set  |

#### Disposable Breathing Circuits

|          |   |        |
|----------|---|--------|
| 54100031 | 1.8M Magill-Mapleson, open circuit                  | 1 Each |
| 54100033 | 1.6M Basic Y piece breathing circuit 200            | 1 Each |
| 10400001 | Basic Y piece breathing circuit w/limb and bag 2010 | 1 Each |

#### Connectors & Filters

|          |   |        |
|----------|---|--------|
| 54100027 | Filta-Guard 1944 standard bacterial/viral breathing filter, 22mm O.D. x 22mm I.D. | 1 Each |
|----------|---|--------|

## SUPPLIES & ACCESSORIES

### AMBULATORY BLOOD PRESSURE MONITOR



## Ambulatory Blood Pressure

Ambulatory blood pressure is a leading diagnostic tool. Rather than relying on one isolated reading, it compiles a series of measurements resulting in increased accuracy. Spacelabs offers a line of reusable and disposable cuffs, covers and pouches for use with the Spacelabs 90227, 90207 and 90217 APB Monitors.



| Order Code | Description | Size | Range | Qty |
|------------|-------------|------|-------|-----|
|------------|-------------|------|-------|-----|

### Reusable ABP Cuffs



#### UltraCheck Reusable Nylon ABP Cuffs

|             |                            |             |            |        |
|-------------|----------------------------|-------------|------------|--------|
| 016-1320-02 | Statcorp reusable ABP cuff | child       | 13 - 18 cm | 1 Each |
| 016-1826-02 | Statcorp reusable ABP cuff | small adult | 18 - 26 cm | 1 Each |
| 016-2635-02 | Statcorp reusable ABP cuff | adult       | 26 - 35 cm | 1 Each |
| 016-3242-02 | Statcorp reusable ABP cuff | large adult | 32 - 42 cm | 1 Each |



#### Spacelabs Reusable Cloth ABP Cuffs (includes bladder, wrap, hose, fittings)

|              |                                 |             |            |        |
|--------------|---------------------------------|-------------|------------|--------|
| 015-0118-05Q | Spacelabs reusable ABP cuff kit | child       | 12 - 20 cm | 1 Each |
| 015-0067-05Q | Spacelabs reusable ABP cuff kit | small adult | 17 - 26 cm | 1 Each |
| 015-0068-06Q | Spacelabs reusable ABP cuff kit | adult       | 24 - 32 cm | 1 Each |
| 016-0077-06Q | Spacelabs reusable ABP cuff kit | large adult | 32 - 42 cm | 1 Each |
| 016-0109-05Q | Spacelabs reusable ABP cuff kit | XL adult    | 38 - 50 cm | 1 Each |



#### Disposable Cuff Covers (for use with Spacelabs reusable ABP cuffs above)

|             |                      |          |        |
|-------------|----------------------|----------|--------|
| 706-0182-00 | Universal cuff cover | Standard | 50/Box |
| 706-0183-00 | Universal cuff cover | Large    | 50/Box |

### Disposable ABP Cuffs



#### Spacelabs Soft Fabric Disposable ABP Cuffs (no fitting)

|             |   |             |            |        |
|-------------|---|-------------|------------|--------|
| 015-1826-00 | Spacelabs disposable ABP cuff   | small adult | 18 - 26 cm | 20/Box |
| 015-2635-00 | Spacelabs disposable ABP cuff   | adult       | 26 - 35 cm | 20/Box |
| 015-3242-00 | Spacelabs disposable ABP cuff   | large adult | 32 - 42 cm | 20/Box |
| 015-4250-00 | Spacelabs disposable ABP cuff   | XL adult    | 42 - 50 cm | 20/Box |
| ZFT-QC8220  | Quick release metal fittings, female bayonet (HP), 1/8 in. barb,<br>For use with above single tube, disposable cuffs with no fitting. |             |            | each   |

## Ambulatory Blood Pressure

Ambulatory blood pressure is a leading diagnostic tool. Rather than relying on one isolated reading, it compiles a series of measurements resulting in increased accuracy. Spacelabs offers a line of reusable and disposable cuffs, covers and pouches for use with the Spacelabs 90227, 90207 and 90217 APB Monitors.



| Order Code | Description | Size | Range | Qty |
|------------|-------------|------|-------|-----|
|------------|-------------|------|-------|-----|

### ABP Accessories



#### Pouches - For use with ABP Monitor 90207

|             |  |        |
|-------------|--|--------|
| 016-0410-00 | Cloth carrying pouch with Velcro closure | 1 Each |
|-------------|--|--------|

#### Pouches - For use with ABP Monitor 90217

|             |  |      |
|-------------|--|------|
| 016-0340-00 | Cloth carrying pouch w/ Velcro closure | Each |
|-------------|--|------|

### ABP Accessories



#### Pouches - For use with ABP Monitor OnTrak 90227

|             |                  |         |
|-------------|------------------|---------|
| 706-0200-00 | Disposable pouch | 50/Pack |
|-------------|------------------|---------|

|             |                |        |
|-------------|----------------|--------|
| 015-0715-00 | Reusable pouch | 1 Each |
|-------------|----------------|--------|

|             |   |        |
|-------------|---|--------|
| 015-0716-00 | Reusable shoulder strap (for use with OnTrak ABP Recorder pouch Item No. 015-0715-00) | 1 Each |
|-------------|---|--------|

#### Support

|             |                      |        |
|-------------|----------------------|--------|
| 015-0070-00 | Cuff support harness | 1 Each |
|-------------|----------------------|--------|

|             |   |        |
|-------------|---|--------|
| 016-0080-00 | Nylon web adjustable waist belt, d-ring adjustable fastener | 1 Each |
|-------------|---|--------|

|             |   |        |
|-------------|---|--------|
| 016-0262-00 | Nylon web adjustable shoulder strap, Velcro fasteners. For carrying the pouch and monitor over the shoulder | 1 Each |
|-------------|---|--------|

|             |                                     |        |
|-------------|-------------------------------------|--------|
| 344-0056-00 | Garment clip with vinyl strap, 3.5" | 1 Each |
|-------------|-------------------------------------|--------|

### ABP Accessories



#### Miscellaneous ABP Accessories

|             |   |        |
|-------------|---|--------|
| 712-0773-00 | Adapter, converts ABP Luer Monitors (90207 and 90217) to quick disconnect | 1 Each |
|-------------|---|--------|


|             |  |        |
|-------------|--|--------|
| 712-0794-00 | Quick Disconnect metal hose connector for ABP Monitors 90207 & 90217 | 1 Each |
|-------------|--|--------|

|             |                                |        |
|-------------|--------------------------------|--------|
| 146-0008-00 | Battery, Lithium, 3V for 90207 | 1 Each |
|-------------|--------------------------------|--------|

Indicates discontinued part, available while supplies last

## SUPPLIES & ACCESSORIES

### HOLTER



Spacelabs Healthcare combine state-of-the-art Holter recorders, fast accurate analyzers and 7-day ECG screening solutions. With our powerful information management platform Sentinel, clinicians the world over count on us for reliable, scalable and accurate Holter reports.



Lifecard CF



evo



Aria

| Order Code | Description | For Use With | Qty |
|------------|-------------|--------------|-----|
|------------|-------------|--------------|-----|

## Holter Hook-up Kits



### Aria/evo Hook-Up Kits

|               |  |          |         |
|---------------|--|----------|---------|
| 23189-106     | 4 electrode hook-up kit<br><b>Includes:</b><br>4 clear tape electrodes, 1 AA battery, 4 prep pads, 1 prep scrub, 1 Aria disposable pouch, 6 tape strips, 1 prep razor and 1 patient diary                          | Aria/evo | Each    |
| 23189-106-401 | 4 electrode hook up kit, case  | Aria/evo | 20/Case |
| 50-0049       | 4 electrode hook-up kit with disposable evo chest pouch<br><b>Includes:</b><br>4 clear tape electrodes, 4 prep pads, 1 prep scrub, 1 evo disposable pouch, 6 tape strips, 1 prep razor, 1 patient diary and pencil | Aria/evo | Each    |



## Lead Wires & Electrodes



### Lead Wires

|           |   |  |          |
|-----------|---|--|----------|
| 25452-525 | 4-Lead wire set, snap, 3 - 14" leads (orange/brown/red) and 1 - 7" lead (white) | Aria/evo                                 | 4LW/set  |
| 25452-535 | 4-Lead wire set, snap, 14" leads (red/white/orange/brown)                       | Aria/evo                                 | 4LW/set  |
| 25452-529 | 4-Lead wire set, snap, 40" leads (red/white/orange/brown)                       | Aria/evo                                 | 4LW/set  |
| 25452-519 | 7-Lead wire set, snap, 18" leads (white/black/red/green/orange/blue/brown)      | 423, 423A, 459, 461, 461A, 464, 483, 485 | 7 LW/set |

## Lead Wires



### Lead Wires

|             |  |             |          |
|-------------|--|-------------|----------|
| 700-0366-00 | White, snap, 14" lead wires                              | Aria/evo    | 10 /pack |
| 700-0367-00 | Red, snap, 14" lead wires                                | Aria/evo    | 10 /pack |
| 700-0368-00 | Orange, snap, 14" lead wires                             | Aria/evo    | 10 /pack |
| 700-0369-00 | Brown, snap, 14" lead wires                              | Aria/evo    | 10 /pack |
| 19-7509     | 6-Lead wire set, snap, 24 in, AHA (requires 700-0316-00) | Lifecard CF | 6LW/Set  |

## Holter Supplies & Accessories

## HOLTER

Spacelabs Healthcare combine state-of-the-art Holter recorders, fast accurate analyzers and 7-day ECG screening solutions. With our powerful information management platform Sentinel, clinicians the world over count on us for reliable, scalable and accurate Holter reports.







Lifecard CF



evo



Aria

|   | Order Code   | Description                                       | For Use With | Qty          |
|---|--|---|--------------|--------------|
| Electrodes  |  |   |              |              |
|    | Electrodes   |   |              |              |
|   | 27565-9CASE  | ECG electrode, clear tape, case                   | Holter       | 150/ 4 Packs |
|   | 27565-7CASE  | Case, tape electrode, case                        | Holter       | 50/ 7 packs  |
|   | 717-0071-00  | ECG electrode, Ambu Blue Sensor L                 | Holter       | 5/Pack       |
|   | 27565-7  | ECG electrode, clear tape                         | Holter       | 7/Pack       |
|   | Indicates discontinued part, available while supplies last |   |              |              |
| Patient Cables  |  |   |              |              |
|    | Lifecard CF Patient Cables                                 |   |              |              |
|   | 700-0316-00  | 3-channel, 6-lead, 22 in, AHA (requires 19-7509)  | Lifecard CF  | Each         |
|   | 700-0317-00  | w/ belt clip, 3-channel, 3-lead, clip, long       | Lifecard CF  | Each         |
|   | 700-0318-00  | 3-channel, 3-lead, snap, extra-long               | Lifecard CF  | Each         |
|   | 700-0319-00  | for neck pouch, 3-channel, 3-lead, snap, short    | Lifecard CF  | Each         |
|   | 700-0320-00  | CABLE,PX,LCF,2SNAP,CLIP,RD/WH.ROHS                | Lifecard CF  | Each         |
|   | 700-0321-00  | CABLE,PX,LCF,2SNAP,SHORT,WO/CLIP,RD/WH.ROHS       | Lifecard CF  | Each         |
|   | 700-0322-00  | CABLE,PX,LCF,7RECEPTACLE,AHA,WO/LEADWIRES,ROHS    | Lifecard CF  | Each         |
|   | 700-0323-00  | w/ belt clip, 2-channel, 4-lead, snap, long       | Lifecard CF  | Each         |
|   | 700-0324-00  | for neck pouch, 2-channel, 4-lead, snap, short    | Lifecard CF  | Each         |
| Patient Cables  |  |   |              |              |
|  | Lifecard 12 Patient Cables                                 |   |              |              |
|   | 700-0325-00  | Varios Yoke                                       | Lifecard 12  | Each         |
|   | 700-0326-00  | cable with varios yoke, 12-lead patient cable, EU | Lifecard 12  | Each         |
|   | 700-0327-00  | cable with varios yoke, 12-lead patient cable, US | Lifecard 12  | Each         |
|   | 700-0328-00  | 12-lead patient cable, EU                         | Lifecard 12  | Each         |
|   | 700-0329-00  | 12-lead patient cable, US                         | Lifecard 12  | Each         |
|   | 700-0330-00  | 12-lead patient cable, long, EU                   | Lifecard 12  | Each         |
|   | 700-0331-00  | 12-lead patient cable, long, US                   | Lifecard 12  | Each         |
| Pouches, Shoulder Straps & Belts  |  |   |              |              |
|  | Pouches, Shoulder Straps & Belts                           |   |              |              |
|   | 27249-7-401  | Disposable pouch                                  | Aria         | 50/Pack      |
|   | 50-0191  | HOOK UP KIT WITH SINGLEUSE POUCH, CASE OF 20      | evo          | 20/Case      |
|   | 27249-7  | POUCH, W/ LOOP                                    | Aria         | Each         |
|   | 50-0042  | Belt holster                                      | evo          | Each         |
|   | PK0001   | Fabric waist belt                                 | evo          | Each         |
|   | 706-0189-00  | Disposable pouch                                  | evo          | 100/Pack     |
|   | 46-0005  | Disposable cord (use with 706-0189-00)            | evo          | 50m roll     |

## Holter Supplies & Accessories

HOLTER

Spacelabs Healthcare combine state-of-the-art Holter recorders, fast accurate analyzers and 7-day ECG screening solutions. With our powerful information management platform Sentinel, clinicians the world over count on us for reliable, scalable and accurate Holter reports.



Lifecard CF



evo



Aria

| Order Code | Description | For Use With | Qty |
|------------|-------------|--------------|-----|
|------------|-------------|--------------|-----|

### Pouches, Shoulder Straps & Belts



#### Pouches, Shoulder Straps & Belts

|           |  |             |             |
|-----------|--|-------------|-------------|
| 50-0050   | Disposable pouch                                 | evo         | 50/Pack     |
| 46-0408   | Fabric pouch set, 2 pouches with laces, Cordlock | Lifecard CF | Each        |
| 19-7130   | Laces for pouch set                              | Lifecard CF | Each        |
| 19-7131   | Cordlock for pouch set                           | Lifecard CF | Each        |
| 46-0092   | Fabric pouch                                     | Lifecard CF | Each        |
| 46-0512   | Disposable pouch                                 | Lifecard CF | 100/Pack    |
| 46-0005   | Disposable cord (use with 46-0512)               | Lifecard CF | 50m on roll |
| 27685-401 | Disposable pouch                                 | LC12        | 50/Pack     |

Indicates discontinued part, available while supplies last

### Recording



#### Recorder Memory and Download

|          |                                    |             |      |
|----------|------------------------------------|-------------|------|
| CFC90MB  | Compact flash card memory, 90MByte | Lifecard CF | Each |
| CFC256MB | Compact flash card memory, 256MB   | LC12        | Each |
| 46-0063  | Flash card plastic protective case | CFCxxMB     | Each |
| 19-7118  | Compact USB Flashcard Reader       | CFCxxMB     | Each |
| 46-0413  | LCF opener tool                    | LCF         | Each |

### Patient Diaries



#### Patient Diaries


|             |                                 |                           |      |
|-------------|---------------------------------|---------------------------|------|
| 073-0267-00 | 7 Patient Diary, English CE0123 | Aria, evo,<br>Lifecard CF | Each |
|-------------|---------------------------------|---------------------------|------|

## SUPPLIES & ACCESSORIES

### MISCELLANEOUS SUPPLIES



## Miscellaneous Supplies



| Order Code | Description | For Use With | Qty |
|------------|-------------|--------------|-----|
|------------|-------------|--------------|-----|

## DC Hook-up

|            |                                     |  |         |
|------------|-------------------------------------|--|---------|
| 392003-001 | Skin prep pad                       |  | 100/Box |
| 392196-001 | Adhesive tape remover pads, 100/box |  | 100/Box |

## Recording Paper

|             |  |              |      |
|-------------|--|--------------|------|
| 20257-004   | Thermal recorder paper, black                    | HearTwave II | each |
| 010-2246-00 | PAPR,THERM,Z-FOLD, 210X295MM X 180 SHTS/10RM,IEC | Cardioline   | each |

## Suntech Tango NIBP Supplies for Stress Test



|             |   |               |        |
|-------------|---|---------------|--------|
| 98-0061-02  | Orbit-K cuff, adult, 23-35 cm                 | Suntech Tango | Each   |
| 98-0061-03  | Orbit-K cuff, large adult, 32-44 cm           | Suntech Tango | Each   |
| 010-2237-00 | K-SOUND MICROPHONE,14" FOR SUNTECH TANGO      | Suntech Tango | Each   |
| 010-2238-00 | CUFF, ORBIT-K, SMALL ADULT                    | Suntech Tango | Each   |
| 010-2241-00 | K-SOUND MICROPHONE,12" FOR SUNTECH TANGO      | Suntech Tango | Each   |
| 010-2250-00 | ECG CABLE (3 LEAD) FOR USE WITH TANGO M2 NIBP | Suntech Tango | Each   |
| 98-0061-05  | Orbit-K cuff, adult plus, 27-40 cm            | Suntech Tango | Each   |
| 98-0002-50  | Microphone pads                               | Suntech Tango | 5/Pack |

## Miscellaneous

|             |   |            |         |
|-------------|---|------------|---------|
| 010-2249-00 | POUCH FOR CARDIOLINE HD+, INCLUDES BELT | Cardioline | Each    |
| 392196-001  | Adhesive tape remover pads, 100/box     |            | 100/Box |

Indicates discontinued part, available while supplies last

## SUPPLIES & ACCESSORIES

### 12-LEAD ECG



## 12-Lead ECG

CardioExpress SL6A, SL12A and SL18A provide fast and accurate 12-lead ECG acquisition. Advanced design and ergonomics enable the operator to quickly and easily control the unit to meet individual requirements. They provide storage direct to the units and connectivity via Sentinel, Cardiology Information Management System (CIMS).



CardioExpress



CardioDirect 12

| Order Code   | Description  | For Use With        | Qty     |
|--|--|---------------------|---------|
| <b>12-Lead ECG Patient Cables &amp; Hook-up Sets</b> |  |                     |         |
| MS1R-107584-A0                                       | ECG cable, grabber connector, AHA                          | CardioExpress       | Each    |
| MS1R-107048-A0                                       | ECG cable, 4MM, banana connector, AHA                      | CardioExpress       | Each    |
| 010-2106-00  | ECG cable, banana plugs, AHA                               | CardioExpress SL18A | Each    |
| 010-2107-00  | ECG CABLE, SL18A, IEC, BANANA PLUGS                        | CardioExpress SL18A | Each    |
| 25-0020  | 10 electrode patient cable, 4mm, US                        | CD12                | Each    |
| MS1R-107583-A0                                       | ECG cable, grabber connector, IEC                          | CardioExpress       | Each    |
| MS1R-106902-A0                                       | ECG cable, 4MM, banana connector, IEC                      | CardioExpress       | Each    |
| 25-0004  | 10 electrode patient cable, 4mm, EU                        | CD12                | Each    |
| 25-0005  | 10 electrode patient cable, pinch, EU                      | CD12                | Each    |
| M15R-040172  | CLIP/SNAP, BANANA SOCKET ADAPTERS, 10 PCS                  | CardioExpress       | Each    |
| MS1R-107449-A0                                       | SNAP/BANANA SOCKET ADAPTERS (10 PCS/SET)                   | CardioExpress       | Each    |
| M15R-040163  | ADULT PRECORDIAL SUCTION ELECTRODES (6 PCS/SET)            | CardioExpress       | Each    |
| M15R-040168  | CHILD PRECORDIAL SUCTION ELECTRODES (6PCS/SET)             | CardioExpress       | Each    |
| 012-0907-00  | ELECTRODE,ADULT LIMB CLAMP, QTY 4                          | CardioExpress       | Each    |
| 717-0072-00  | ECG electrodes, blue sensor T, adult foam oblong with snap |                     | 25/Pack |
| 58100  | Easiclip, Skintact, 10/pk                                  |                     | 10/Pack |
| <b>CardioExpress SL18A lead wires</b>                |  |                     |         |
| 019-0895-00  | SL-18A USB sampling box, AHA                               | CardioExpress SL18A | Each    |
| 012-0963-00  | RA ECG lead wire for SL-18A sampling box, AHA              | CardioExpress SL18A | Each    |
| 012-0964-00  | LA ECG lead wire for SL-18A sampling box, AHA              | CardioExpress SL18A | Each    |
| 012-0965-00  | V5R ECG lead wire for SL-18A sampling box, AHA             | CardioExpress SL18A | Each    |
| 012-0966-00  | V4R ECG lead wire for SL-18A sampling box, AHA             | CardioExpress SL18A | Each    |
| 012-0967-00  | V3R ECG lead wire for SL-18A sampling box, AHA             | CardioExpress SL18A | Each    |
| 012-0968-00  | V1+V2+V3 ECG lead wire for SL-18A sampling box, AHA        | CardioExpress SL18A | Each    |
| 012-0969-00  | V4+V5+V6 ECG lead wire for SL-18A sampling box, AHA        | CardioExpress SL18A | Each    |
| 012-0970-00  | V7 ECG lead wire for SL-18A sampling box, AHA              | CardioExpress SL18A | Each    |
| 012-0971-00  | V8 ECG lead wire for SL-18A sampling box, AHA              | CardioExpress SL18A | Each    |
| 012-0972-00  | V9 ECG lead wire for SL-18A sampling box, AHA              | CardioExpress SL18A | Each    |
| 012-0973-00  | LL ECG lead wire for SL-18A sampling box, AHA              | CardioExpress SL18A | Each    |
| 012-0974-00  | RL ECG lead wire for SL-18A sampling box, AHA              | CardioExpress SL18A | Each    |
| <b>12-Lead ECG Patient Cables &amp; Hook-up Sets</b> |  |                     |         |
| <b>CardioExpress SL18A lead wires</b>                |  |                     |         |
| 019-0896-00  | SL-18A USB sampling box, IEC                               | CardioExpress SL18A | Each    |
| 012-0975-00  | R (RA) ECG Lead wire for SL-18A sampling box, IEC          | CardioExpress SL18A | Each    |
| 012-0976-00  | L (LA) ECG Lead wire for SL-18A sampling box, IEC          | CardioExpress SL18A | Each    |
| 012-0977-00  | C5R ECG lead wire for SL-18A sampling box, IEC             | CardioExpress SL18A | Each    |
| 012-0978-00  | C4R ECG lead wire for SL-18A sampling box, IEC             | CardioExpress SL18A | Each    |
| 012-0979-00  | C8 ECG lead wire for SL-18A sampling box, IEC              | CardioExpress SL18A | Each    |
| 012-0980-00  | C9 ECG lead wire for SL-18A sampling box, IEC              | CardioExpress SL18A | Each    |
| 012-0981-00  | C7 ECG lead wire for SL-18A sampling box, IEC              | CardioExpress SL18A | Each    |
| 012-0982-00  | C1+C2+C3 ECG lead wire for SL-18A sampling box, IEC        | CardioExpress SL18A | Each    |
| 012-0983-00  | C4+C5+C6 ECG lead wire for SL-18A sampling box, IEC        | CardioExpress SL18A | Each    |
| 012-0984-00  | C3R ECG lead wire for SL-18A sampling box, IEC             | CardioExpress SL18A | Each    |
| 012-0985-00  | F (LL) ECG lead wire for SL-18A sampling box, IEC          | CardioExpress SL18A | Each    |
| 012-0986-00  | N (RL) ECG lead wire for SL-18A sampling box, IEC          | CardioExpress SL18A | Each    |

Indicates discontinued part, available while supplies last

## 12-Lead ECG

CardioExpress SL6A, SL12A and SL18A provide fast and accurate 12-lead ECG acquisition. Advanced design and ergonomics enable the operator to quickly and easily control the unit to meet individual requirements. They provide storage direct to the units and connectivity via Sentinel, Cardiology Information Management System (CIMS).



CardioExpress



CardioDirect 12

## 12-LEAD ECG

| Order Code | Description | For Use With | Qty |
|------------|-------------|--------------|-----|
|------------|-------------|--------------|-----|

### Miscellaneous 12-Lead ECG Accessories

#### Recording Paper

|                |                                     |                    |      |
|----------------|-------------------------------------|--------------------|------|
| MS1R-107371-A0 | Z-fold, 210 MM x 295 MM, 100 sheets | CardioExpress      | Each |
| MS1R-32462     | Z-fold, 210 MM x 295 MM, 200 sheets | CardioExpress      | Each |
| MS1R-107560-A0 | Z-fold, 110 MM x 140 MM, 144 sheets | CardioExpress      | Each |
| MS1R-107451-A0 | Z-fold, 215 MM x 280MM, 100 sheets  | CardioExpress      | Each |
| MS1R-32461     | Roll, 210 MM x 30M                  | CardioExpress      | Each |
| 010-1897-00    | RECORDING PAPER,ROLL,80MM X 20 M    | CardioExpress      | Each |
| MS1R-32463     | Roll, 215 MM x 30M                  | CardioExpress      | Each |
| MS4R-111897    | Paper roller, plastic, SL12         | CardioExpress SL12 | Each |

#### Others

|             |   |                     |      |
|-------------|---|---------------------|------|
| 010-2127-00 | Carry case, SL6A                              | CardioExpress SL6A  | Each |
| 010-2128-00 | Carry case, SL12A                             | CardioExpress SL12A | Each |
| 019-0779-00 | LI-ION BATTERY, SL12A                         | CardioExpress SL12A | Each |
| 690-0275-00 | Barcode scanner, one dimensional              | CardioExpress       | Each |
| 690-0276-00 | Barcode scanner, two dimensional              | CardioExpress       | Each |
| SU00C       | Disposable tab electrodes for resting ECG set | CD12USB             | Each |

Indicates discontinued part, available while supplies last

## SUPPLIES & ACCESSORIES

### EVENT MONITORING



## Cardiac Event Monitoring

Long term Cardiac Event Monitoring is widely used for monitoring symptomatic patients over several weeks in order to capture transient or infrequent arrhythmias.



CardioCall

| Order Code   | Description   | For Use With | Qty  |
|--|---|--------------|------|
| <b>Event Monitoring Supplies &amp; Accessories</b> |   |              |      |
| <b>Hook-Up Kits</b>                                |   |              |      |
| 23-0255  | Lanyard clip & assembly                                   | CardioCall   | Each |
| <b>Lead Wires &amp; Electrodes</b>                 |   |              |      |
| 23-0059  | Patient cable, 1 channel, 2 electrodes (black/white), US  | CardioCall   | Each |
| 23-0051  | Patient cable, 2 channel, 3 electrodes (red/yellow/green) | CardioCall   | Each |
| <b>Programming &amp; Download</b>                  |   |              |      |
| 23-0245  | Programming card & key                                    | CCVS20       | Each |
| 23-0026  | Download cable  | CardioCall   | Each |